



US00D655567S

(12) **United States Design Patent**
Kirkland et al.

(10) **Patent No.:** **US D655,567 S**
(45) **Date of Patent:** **** Mar. 13, 2012**

(54) **MULTI-TIERED CUPCAKE TRAY**
(75) Inventors: **H. Bernard Kirkland**, Lindenhurst, IL
(US); **John Kerry Hobbs**, McDonough,
GA (US)

4,492,333 A 1/1985 Roberts
4,844,243 A 7/1989 Stiles
4,848,543 A 7/1989 Doboze
5,082,677 A 1/1992 Bear
5,413,801 A 5/1995 McIlwain
5,676,252 A 10/1997 Lilleleud et al.

(Continued)

(73) Assignee: **Pactiv LLC**, Lake Forest, IL (US)

(**) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

WO WO98/52835 11/1998

(21) Appl. No.: **29/387,753**

OTHER PUBLICATIONS

(22) Filed: **Mar. 17, 2011**

U.S. Appl. No. 13/156,143, filed Jun. 8, 2011.

(51) **LOC (9) Cl.** **07-02**

Primary Examiner — Ricky Pham

(52) **U.S. Cl.** **D7/357; D7/354**

(74) *Attorney, Agent, or Firm* — Baker Botts LLP

(58) **Field of Classification Search** D7/323,
D7/329-332, 337, 339, 346-347, 350.1-350.4,
D7/354-363, 391, 393, 395, 402, 408-409,
D7/417, 505, 538, 542, 549, 587, 667, 672,
D7/675, 701; D9/420, 715, 757-758; 30/301;
99/324-325, 331-332, 337-340, 396, 400-418,
99/425, 444-446, 450; 119/161, 166; 126/9 R,
126/25 A, 25 R, 39 J, 41 R, 166, 261, 275 R,
126/332, 380.1, 390.1; 206/501-505, 507-508,
206/778; 219/400, 405, 435-442, 620-624,
219/725, 730-735; 220/485, 491, 573.1-573.5,
220/759, 912; 426/438, 441, 523

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a multi-tiered cupcake tray, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a multi-tiered cupcake tray of our design;
FIG. 2 is a top view of the multi-tiered cupcake tray of FIG. 1;
FIG. 3 is a side view of the multi-tiered cupcake tray of FIG. 1;
FIG. 4 is another side view of the multi-tiered cupcake tray of FIG. 1; and,
FIG. 5 is a bottom view of the multi-tiered cupcake tray of FIG. 1.


The broken lines shown in the Figures are included for the purpose of illustrating a tab on the periphery of the tray and a stepped feature in the bottom of certain wells, which form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D51,881 S * 3/1918 Evans D7/357
1,399,449 A * 12/1921 Trethewey 30/301
1,912,329 A 5/1933 Wassell
2,446,629 A 8/1948 Brown
3,034,496 A * 5/1962 Greenwald 126/261
4,351,313 A * 9/1982 Kern 126/39 J
4,359,159 A 11/1982 Pollard

1 Claim, 4 Drawing Sheets



US D655,567 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | | | |
|-----------|-----|---------|--------------------|--------|--------------|-----|---------|------------------------|--------|
| D396,388 | S * | 7/1998 | Mishan | D7/672 | 7,128,000 | B2 | 10/2006 | Mummert | |
| 5,912,033 | A | 6/1999 | Ferguson | | D543,797 | S * | 6/2007 | Kaposi | D7/675 |
| D459,988 | S * | 7/2002 | Hogman | D9/757 | D544,343 | S * | 6/2007 | Liebe | D9/420 |
| D469,653 | S * | 2/2003 | Cooper et al. | D7/357 | D574,663 | S * | 8/2008 | Courington et al. | D7/357 |
| 6,679,380 | B2 | 1/2004 | Brown | | D577,535 | S * | 9/2008 | Courington et al. | D7/357 |
| D497,077 | S * | 10/2004 | de Groot | D7/357 | D601,860 | S | 10/2009 | Madagan | |
| 6,896,140 | B1 | 5/2005 | Perry | | 2010/0015310 | A1 | 1/2010 | Wallace | |
| D511,652 | S * | 11/2005 | Paplinski | D7/417 | | | | | |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5