



US00D655642S

(12) **United States Design Patent**  
**Mogren**

(10) **Patent No.:** **US D655,642 S**  
(45) **Date of Patent:** **\*\* Mar. 13, 2012**

(54) **MULTI-CROSS WITH BARS**

(76) **Inventor:** **Scott Francis Mogren**, Maplewood, MN  
(US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/397,673**

(22) **Filed:** **Jul. 19, 2011**

(51) **LOC (9) Cl.** ..... **11-03**

(52) **U.S. Cl.** ..... **D11/96**

(58) **Field of Classification Search** ..... D11/95-99,  
D11/116, 184, 1, 86, 40, 79, 81-82, 162-163,  
D11/157-158, 131, 66, 100, 103-104, 107,  
D11/13, 133, 172, 25, 41, 43, 48, 50, 58,  
D11/11; 63/1.11, 1.12, 1.13, 1.14, 1.16,  
63/1.18, 13, 14.1, 35, 39; D8/356

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D109,800 S	5/1938	Foss	
D115,252 S *	6/1939	Horwitz	D11/96
D162,155 S	2/1951	Gray	
D232,319 S	8/1974	Caputo	
D238,198 S	12/1975	Fear	
D249,877 S *	10/1978	Shambrook	D11/81
D250,900 S *	1/1979	Newman	D11/96
D251,717 S	5/1979	Graves	
D318,819 S	8/1991	Geyduschek	
D334,725 S	4/1993	White	
D371,983 S	7/1996	Burman	
5,887,321 A	3/1999	Foley, Jr.	
6,446,315 B2	9/2002	Agree et al.	
D465,432 S	11/2002	Henmi	
6,543,103 B1	4/2003	Robert	
6,557,222 B2	5/2003	Groemminger et al.	
6,722,001 B2	4/2004	Baker	
D494,884 S *	8/2004	Steiner	D11/96
D528,038 S	9/2006	Cavness	
D542,171 S	5/2007	Olson	
D553,046 S	10/2007	Younkin et al.	
D563,828 S *	3/2008	Meijer	D11/163

D609,132 S *	2/2010	Busbee	D11/96
D615,449 S *	5/2010	Hayden et al.	D11/96
D623,979 S	9/2010	Mogren	
D631,781 S	2/2011	Mogren	
D639,701 S *	6/2011	Ditty	D11/96

**FOREIGN PATENT DOCUMENTS**

WO WO 01/92032 12/2001

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/397,644, filed in the name of Scott Francis Mogren on Jul. 19, 2011, and entitled Multi-Cross With Doves.

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Wilson Sonsini Goodrich & Rosati PC

(57) **CLAIM**

The ornamental design for multi-cross with bars, as shown and described.

**DESCRIPTION**

FIG. 1 shows a front view of the invention.  
 FIG. 2 shows a back view of the invention.  
 FIG. 3 shows a top view of the invention.  
 FIG. 4 shows a bottom view of the invention.  
 FIG. 5 shows a side view of the invention.  
 FIG. 6 shows a side view of the invention.  
 FIG. 7 shows an unassembled front view of parts of the invention.  
 FIG. 8 shows an unassembled side view of the invention.  
 FIG. 9 shows an unassembled side view of a coupling member of the invention.  
 FIG. 10 shows an unassembled front view of a coupling member of the invention; and,  
 FIG. 11 shows an unassembled top view of a coupling member of the invention.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 6




FIG. 5



FIG. 7




FIG. 8



FIG. 9



FIG. 10

FIG. 11

