



US00D655794S

(12) **United States Design Patent**
Hall et al.

(10) **Patent No.:** **US D655,794 S**
(45) **Date of Patent:** **** Mar. 13, 2012**

- (54) **PIPE HOLD DOWN DEVICE**
- (75) Inventors: **Mathew W. Hall**, Fate, TX (US); **April D. Hall**, Fate, TX (US)
- (73) Assignee: **E49 Enterprises, LLC**, Fate, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/358,334**
- (22) Filed: **Mar. 25, 2010**
- (51) **LOC (9) Cl.** **23-01**
- (52) **U.S. Cl.** **D23/266; D8/349; D11/158; D21/654; D99/40**
- (58) **Field of Classification Search** D8/349; D11/158; D21/654; D99/38, 40; D23/206, D23/266, 222, 211.1, 259; D9/601, 607; 248/76, 79, 80; 222/78
See application file for complete search history.

- 7,383,980 B1 * 6/2008 Beacham 232/4 R
- 7,731,133 B2 * 6/2010 Kochanski 248/79
- D619,298 S * 7/2010 Rojo Gonzalez D26/125
- D629,175 S * 12/2010 McMaster et al. D99/38
- D631,785 S * 2/2011 Palmer D11/158
- 2005/0029410 A1 * 2/2005 Walker 248/80
- 2005/0230571 A1 * 10/2005 Kochanski 248/76

OTHER PUBLICATIONS

Sewiepig, earliest posting of <http://sewiepig.com/>, posted Nov. 13, 2010, [online], [site visited Oct. 10, 2011]. Available from Internet, <<http://web.archive.org/web/20101113054826/http://sewiepig.com/>>.*

* cited by examiner

Primary Examiner — Jeffrey D Asch
(74) *Attorney, Agent, or Firm* — Rosenthal Pauerstein Sandoloski Agather LLP; Alan R. Thiele

(57) **CLAIM**
We claim the ornamental design for a pipe hold down device, as shown.

(56) **References Cited**


U.S. PATENT DOCUMENTS

- D77,051 S * 12/1928 Blow D8/402
- D135,267 S * 3/1943 Lamb D21/654
- D139,366 S * 11/1944 Ayers D99/40
- D145,668 S * 10/1946 Kearney D27/188
- D163,527 S * 6/1951 Lewandowski D23/215
- D169,309 S * 4/1953 Fuller D99/40
- D221,006 S * 6/1971 Tavela D99/40
- 3,734,138 A * 5/1973 Brown et al. 138/106
- D302,942 S * 8/1989 Ferrero D9/607
- D309,761 S * 8/1990 Hashimoto D21/654
- 5,000,405 A * 3/1991 Rybak et al. 248/80
- 5,125,577 A * 6/1992 Frankel 239/211
- 5,311,909 A * 5/1994 Adcock 137/899
- D381,406 S * 7/1997 Brown D23/266
- D385,599 S * 10/1997 Stephensen et al. D21/654
- 5,850,940 A * 12/1998 Sloan et al. 222/78
- 6,039,213 A * 3/2000 Sloan et al. 222/39
- D434,258 S * 11/2000 Goodwin et al. D6/542
- 6,786,462 B1 * 9/2004 Bland 248/505

DESCRIPTION

FIG. 1 is a perspective view of the pipe hold down device showing our new ornamental design; FIG. 2 is a front elevational view; FIG. 3 is a right side elevational view; FIG. 4 is a top plan view; FIG. 5 the left side elevational view; FIG. 6 is a bottom plan view; and, FIG. 7 is a rear elevational view. The broken lines shown throughout the views, which are immediately adjacent to the shaded areas and define unshaded regions, represent the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only. The broken lines and the unshaded regions form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 7




Fig. 5




Fig. 6