



US00D655821S

(12) **United States Design Patent**
Matsuo

(10) **Patent No.:** **US D655,821 S**
(45) **Date of Patent:** **** Mar. 13, 2012**

(54) **HOLDER FOR PERSONAL WARMING APPARATUS**

(75) Inventor: **Atsushi Matsuo**, Hyogo (JP)

(73) Assignee: **Kobayashi Pharmaceutical Co., Ltd.**
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/340,339**

(22) Filed: **Jul. 16, 2009**

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.** **D24/206**

(58) **Field of Classification Search** D24/206–208,
D24/189–192, 210; 602/1–7, 17–27, 61–66,
602/74; 128/95.1, 96.1, 97.1, 100.1, 101.1,
128/876; 606/204; 607/96, 108, 109, 111,
607/112; D29/101.2, 101.5, 120.1, 121.1;
D3/327

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,475,543	A *	10/1984	Brooks et al.	602/19
4,556,055	A *	12/1985	Bonner, Jr.	602/2
4,676,247	A	6/1987	Van Cleve	
5,148,804	A	9/1992	Hill et al.	
D353,205	S *	12/1994	Canavan	D24/206
5,557,801	A	9/1996	Jakus	
D379,264	S	5/1997	Micieli	
D379,559	S	6/1997	Maez	
D395,546	S	6/1998	Houtan	
D404,490	S *	1/1999	Tripolsky	D24/190
D426,308	S *	6/2000	Negron	D24/189
D446,359	S	8/2001	Arthur et al.	
6,336,935	B1	1/2002	Davis et al.	
D460,257	S	7/2002	Williams et al.	
6,537,308	B2	3/2003	Burkhart	
D475,140	S *	5/2003	Anderson	D24/191
D479,769	S	9/2003	Leighton	
6,637,429	B2 *	10/2003	Mundrick et al.	128/96.1
D495,484	S	9/2004	Marks	
D496,108	S *	9/2004	Machin et al.	D24/206
D499,846	S	12/2004	Cesko	

D501,990	S	2/2005	Carr
D505,008	S	5/2005	Malik
D506,058	S	6/2005	Sexson
D518,953	S	4/2006	Kenimer et al.

(Continued)

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group


(57) **CLAIM**

The ornamental design for a holder for personal warming apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a holder for personal warming apparatus showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a left-side view thereof;
FIG. 7 is an enlarged front view of the portion 7-7 in FIG. 1;
FIG. 8 is a sectional view taken along line 8-8 in FIG. 7;
FIG. 9 is an enlarged top view of the portion A-A shown in FIG. 1;
FIG. 10 is an enlarged bottom view of the portion A-A shown in FIG. 1;
FIG. 11 is an enlarged view of FIG. 5;
FIG. 12 is an enlarged view of FIG. 6;
FIG. 13 is an enlargement of the encircled area in FIG. 9; and,
FIG. 14 is an enlargement of the encircled area in FIG. 10.
The dotted broken lines in the drawings are environmental only and form no part of the claimed design. The pairs of parallel jagged lines indicate that no particular length is claimed and form no part of the claimed design. The oval dash-dot broken lines in FIGS. 9 and 10 show the enlarged portions in FIGS. 13 and 14 respectively, and form no part of the claimed design. The single jagged lines in FIGS. 7, 9, 10, 13 and 14 show the break from the remaining part of the design, and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D655,821 S

Page 2

U.S. PATENT DOCUMENTS							
D538,036	S	3/2007	Buck		D583,959	S	12/2008 Yim
D554,268	S *	10/2007	Harding	D24/190	D595,859	S *	7/2009 Young D24/190
D554,761	S *	11/2007	Marin	D24/206	D601,705	S *	10/2009 Bauerfeind et al. D24/189
D582,047	S	12/2008	Yim		D613,870	S *	4/2010 Shust D24/206
D583,479	S	12/2008	Yim		2007/0032848	A1	2/2007 Bridges
					* cited by examiner		




Fig. 1




Fig. 2



Fig. 3




Fig. 4



Fig. 5



Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10



Fig. 11



Fig. 12




Fig. 13




Fig. 14

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D655,821 S
APPLICATION NO. : 29/340339
DATED : March 13, 2012
INVENTOR(S) : Atsushi Matsuo

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the figure descriptions:

currently:

Fig. 9 is an enlarged top view of the portion A-A shown in FIG. 1;

should be amended to:

Fig 9 is an enlarged top view of the portion 7-7 shown in FIG. 1;


currently:

Fig. 10 is an enlarged bottom view of the portion A-A shown in FIG. 1;

should be amended to:

Fig. 10 is an enlarged bottom view of the portion 7-7 shown in FIG. 1;

Signed and Sealed this
Twenty-ninth Day of May, 2012

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D" and a stylized "K".

David J. Kappos
Director of the United States Patent and Trademark Office