



US00D655962S

(12) **United States Design Patent**
Cittadino

(10) **Patent No.:** **US D655,962 S**
(45) **Date of Patent:** **** Mar. 20, 2012**

(54) **DISPENSER HOUSING**

(75) Inventor: **Antonio M. Cittadino**, Appleton, WI (US)

(73) Assignee: **Georgia-Pacific Consumer Products LP**, Atlanta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/397,343**

(22) Filed: **Jul. 14, 2011**

(51) **LOC (9) Cl.** **23-02**

(52) **U.S. Cl.** **D6/545**

(58) **Field of Classification Search** D6/542-545;
221/208, 282, 283; 222/105, 173, 180, 181.1,
222/181.2, 181.3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D338,585 S	8/1993	Bell et al.
D350,665 S	9/1994	Ophardt
D378,035 S	2/1997	Ophardt
D392,136 S	3/1998	Ross et al.
D416,417 S	11/1999	Ross et al.
6,533,145 B2	3/2003	Lewis et al.

(Continued)

OTHER PUBLICATIONS

Wypall [online] [retrieved Dec. 6, 2007] Kimberly-Clark Professional. 1 page. http://www.kcprofessional.com/us/product-details.asp?prd_id=92044.

Primary Examiner — Brian N Vinson

(74) *Attorney, Agent, or Firm* — Georgia-Pacific LLC; Deborah K. Butler

(57) **CLAIM**

I claim, the ornamental design for a dispenser housing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the dispenser housing, showing our new design in an exemplary embodiment, the oblique line shading shown on the window portion of the dispenser housing representing transparency/translucency;

FIG. 2 is a front elevation view of the embodiment shown in FIG. 1;

FIG. 3 is a side elevation view of the embodiment shown in FIG. 1;

FIG. 4 is another side elevation view of the embodiment shown in FIG. 1;

FIG. 5 is a back elevation view of the embodiment shown in FIG. 1;

FIG. 6 is a top plan view of the embodiment shown in FIG. 1;

FIG. 7 is a bottom plan view of the embodiment shown in FIG. 1;

FIG. 8 is a perspective view of the dispenser housing, showing our new design in another exemplary embodiment, the embodiment of FIG. 8 differing from the embodiment of FIGS. 1-7 via the oblique line shading shown in the non-window portion of the dispenser housing of FIG. 8, this oblique line shading shown in the non-window portion representing a brushed/metallic finish;

FIG. 9 is a front elevation view of the embodiment shown in FIG. 8;

FIG. 10 is a side elevation view of the embodiment shown in FIG. 8;

FIG. 11 is another side elevation view of the embodiment shown in FIG. 8;



FIG. 12 is a back elevation view of the embodiment shown in FIG. 8;

FIG. 13 is a top plan view of the embodiment shown in FIG. 8; and,

FIG. 14 is a bottom plan view of the embodiment shown in FIG. 8.

The dash-dot-dot disclosure in the views is understood to form part of the environment in which the claimed design is embodied, but forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D655,962 S

Page 2

U.S. PATENT DOCUMENTS

D478,445 S *	8/2003	Daansen	D6/545	D552,905 S *	10/2007	Haworth	D6/545
6,619,509 B2	9/2003	DeKoning et al.		D553,407 S *	10/2007	Orgna et al.	D6/545
D480,247 S *	10/2003	Ciavarella et al.	D6/545	D557,961 S *	12/2007	Haworth	D6/545
D484,721 S	1/2004	Chou		D569,151 S *	5/2008	Cittadino et al.	D6/545
D498,628 S *	11/2004	Rhodenbaugh	D6/545	D579,250 S *	10/2008	Cittadino et al.	D6/545
D503,576 S *	4/2005	Reynolds et al.	D6/545	D591,544 S *	5/2009	Franjesevic et al.	D6/545
D530,125 S *	10/2006	Vignot	D6/545	D620,292 S *	7/2010	Kim	D6/545
D530,126 S *	10/2006	Reynolds et al.	D6/545				

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14