



US00D656314S

(12) **United States Design Patent**
Marshall

(10) **Patent No.:** **US D656,314 S**
(45) **Date of Patent:** **** Mar. 27, 2012**

(54) **MICROPHONE SLEEVE**

(76) Inventor: **Henry E. Marshall**, Myrtle Beach, SC
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/387,859**

(22) Filed: **Mar. 18, 2011**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/269**

(58) **Field of Classification Search** D3/269–271.12,
D3/201, 211, 212, 214, 215, 216, 217, 218,
D3/234, 273, 289, 294, 301, 302, 304; 206/576,
206/320, 214, 457, 315.1; 190/109, 110,
190/111, 18 A, 900, 902; D14/217, 421,
D14/432, 440, 250; 446/76, 470; D34/19;
D21/421, 211, 214, 215; D6/440; 224/153,
224/577, 578; 455/575.8

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

355,417	A *	1/1887	Spencer		383/40
D199,347	S	10/1964	Kettell		
D230,990	S	3/1974	Kollesberger		
D247,392	S *	2/1978	Coleman		D3/289
D256,406	S *	8/1980	Veilleux		D3/289
D314,863	S *	2/1991	Bregel		D3/321
5,207,323	A *	5/1993	McConnell		206/315.1
5,522,592	A *	6/1996	Evelsizer, Jr.		150/160
D376,043	S *	12/1996	Rix		D3/203.1
5,675,660	A	10/1997	Towensend		
D409,834	S *	5/1999	Yang		D3/268
D411,161	S *	6/1999	Wooten		D12/220
D430,232	S	8/2000	She		
D437,481	S *	2/2001	Vazquez		D3/244
D470,310	S *	2/2003	Walley et al.		D7/624.3

D492,945	S	7/2004	Ng		
D494,366	S *	8/2004	Gognat et al.		D3/300
D512,222	S *	12/2005	Sezgin		D3/301
D523,003	S	6/2006	Meyer et al.		
D551,451	S *	9/2007	Nathanson		D3/271.1
D588,583	S *	3/2009	McDougal		D14/225
D589,028	S	3/2009	Haapapuro et al.		
D602,009	S	10/2009	Perri		
D608,768	S *	1/2010	Ikeda et al.		D14/228
D615,529	S *	5/2010	Kearns		D14/207
7,760,896	B2	7/2010	Medveezky		

* cited by examiner

Primary Examiner — Barbara Fox

(74) *Attorney, Agent, or Firm* — QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

The ornamental design for a microphone sleeve, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a microphone sleeve, showing the new design with a microphone fully inserted therein and a zipper thereof in a closed position;

FIG. 2 is a perspective view thereof, illustrated with the microphone partially inserted and the zipper in an open position;

FIG. 3 is a front elevational view of FIG. 1;

FIG. 4 is a rear elevational view of FIG. 1;


FIG. 5 is a right-side elevational view of FIG. 1, the left-side elevational view being a mirror image thereof;

FIG. 6 is a top plan view of FIG. 1; and,

FIG. 7 is a bottom plan view of FIG. 1.

The broken lines showing a microphone in FIGS. 1 and 2 depict environmental matter while the invention in use, and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7