

US00D656682S

(12) **United States Design Patent**
Bruehler

(10) **Patent No.:** **US D656,682 S**

(45) **Date of Patent:** **** Mar. 27, 2012**

(54) **HARNESS**

(76) **Inventor:** **Brett Bruehler**, Avon, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/343,478**

(22) **Filed:** **Sep. 14, 2009**

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.** **D29/101.5**

(58) **Field of Classification Search** D29/100,
D29/101.1, 101.2, 101.3, 101.4, 101.5; 182/3,
182/4; 244/151 R; D24/190; 224/160; D30/152
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,424,134	A *	1/1969	Rosenblum	182/3
D360,440	S *	7/1995	Banks et al.	D29/100
5,531,292	A *	7/1996	Bell	182/3
D462,497	S *	9/2002	Talamantes	D29/101.1
D559,467	S *	1/2008	Petzl	D29/101.1

D600,859	S *	9/2009	Hill et al.	D29/101.1
D638,176	S *	5/2011	Mugford	D30/152
D641,524	S *	7/2011	Graham et al.	D29/101.4

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Barbara B Lohr

(74) *Attorney, Agent, or Firm* — Calfee Halter & Griswold, LLP

(57) **CLAIM**

The ornamental design for a harness, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of a harness showing the new design;

FIG. 2 is a front view of the harness of FIG. 1;

FIG. 3 is a back view of the harness of FIG. 1;

FIG. 4 is a left side view of the harness of FIG. 1;


FIG. 5 is a right side view of the harness of FIG. 1;

FIG. 6 is top plan view of the harness of FIG. 1; and,

FIG. 7 is a bottom plan view of the harness of FIG. 1.

In FIGS. 1-7, the dashed lines are used to disclose the environment related to the claimed design and do not form a part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig. 1

Fig. 2





Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7