



US00D656737S

(12) **United States Design Patent**  
**Crawley**

(10) **Patent No.:** **US D656,737 S**  
(45) **Date of Patent:** **\*\* Apr. 3, 2012**

(54) **PAINT ROLLER**

(75) Inventor: **Graeme Crawley**, Newcastle upon Tyne (GB)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/386,470**

(22) Filed: **Mar. 1, 2011**

(30) **Foreign Application Priority Data**

Oct. 21, 2010 (EM) ..... 001240816

(51) **LOC (9) Cl.** ..... **04-01**

(52) **U.S. Cl.** ..... **D4/122**

(58) **Field of Classification Search** ..... D4/114,  
D4/115, 116, 122, 137, 132, 120, 121, 138,  
D4/128, 131, 136, 133, 134, 135, 117, 118,  
D4/119, 123, 127, 130, 199, 101; 132/218;  
D23/225; D5/58; 15/104.002, 209.1, 118,  
15/230.11, 244.2, 186, 116.2, 206; 92/169.1;  
D28/7, 76; 401/219, 144, 15, 197, 145, 146,  
401/218, 170, 268, 278; 119/628

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |        |                |         |
|-----------|-----|--------|----------------|---------|
| 3,441,355 | A * | 4/1969 | Brown          | 401/219 |
| 3,554,659 | A * | 1/1971 | Stokes         | 401/197 |
| D231,131  | S * | 4/1974 | Osborne et al. | D4/116  |
| 3,826,581 | A * | 7/1974 | Henderson      | 401/287 |
| D235,278  | S * | 6/1975 | Janssen        | D4/122  |
| 4,222,678 | A * | 9/1980 | Miller         | 401/218 |
| 4,566,816 | A * | 1/1986 | Janssen        | 401/219 |
| 4,597,684 | A * | 7/1986 | O'Brien et al. | 401/197 |
| 4,599,009 | A * | 7/1986 | Winston        | 401/197 |

|              |      |         |                  |           |
|--------------|------|---------|------------------|-----------|
| 4,611,941    | A *  | 9/1986  | Karliner et al.  | 401/207   |
| 4,639,156    | A *  | 1/1987  | Stern et al.     | 401/146   |
| 4,667,363    | A *  | 5/1987  | Calvert          | 15/248.2  |
| 4,732,503    | A *  | 3/1988  | Bader et al.     | 401/197   |
| 4,765,353    | A *  | 8/1988  | Rhoades          | 134/138   |
| 4,997,302    | A *  | 3/1991  | Simonette        | 401/170   |
| D331,321     | S *  | 12/1992 | Gebaurer et al.  | D4/115    |
| 5,614,021    | A *  | 3/1997  | Catlin           | 118/258   |
| 5,960,511    | A *  | 10/1999 | Boyce            | 15/248.2  |
| 5,975,782    | A *  | 11/1999 | Lee              | 401/144   |
| D417,552     | S *  | 12/1999 | Snetting et al.  | D4/138    |
| 6,206,599    | B1 * | 3/2001  | Buchanan et al.  | 401/197   |
| 6,721,988    | B2 * | 4/2004  | Woodruff         | 15/230.11 |
| 6,726,389    | B1 * | 4/2004  | Lee              | 401/197   |
| D581,675     | S *  | 12/2008 | Murray           | D4/138    |
| 7,556,447    | B2 * | 7/2009  | Bruggeman et al. | 401/197   |
| 7,682,098    | B2 * | 3/2010  | Sandahl et al.   | 401/170   |
| 2008/0247808 | A1 * | 10/2008 | Costigan         | 401/219   |
| 2010/0209175 | A1 * | 8/2010  | Walcot et al.    | 401/197   |

\* cited by examiner

*Primary Examiner* — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Stephen R. Valancius

(57) **CLAIM**

The ornamental design for a paint roller, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a paint roller according to the present invention;

FIG. 2 is a front view of the paint roller of FIG. 1;

FIG. 3 is a rear view of the paint roller of FIG. 1;


FIG. 4 is a left side view of the paint roller of FIG. 1;

FIG. 5 is a right side view of the paint roller of FIG. 1;

FIG. 6 is an enlarged top view of the paint roller of FIG. 1; and,

FIG. 7 is an enlarged bottom view of the paint roller of FIG. 1.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7