



US00D656853S

(12) **United States Design Patent**  
**Matsuda**

(10) **Patent No.:** **US D656,853 S**

(45) **Date of Patent:** **\*\* Apr. 3, 2012**

(54) **INDICATOR FOR ELEVATOR**

(75) Inventor: **Kazuko Matsuda**, Chiyoda-Ku (JP)

(73) Assignee: **Mitsubishi Electric Corporation**,  
Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/376,792**

(22) Filed: **Oct. 12, 2010**

(30) **Foreign Application Priority Data**

Apr. 16, 2010 (JP) ..... 2010-009628

(51) **LOC (9) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/108**

(58) **Field of Classification Search** ..... D10/108;  
D13/162, 162.1; D14/371, 198; 187/389-391,  
187/396-397, 290

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,832,157	A *	5/1989	Kitano .....	187/391
D456,293	S *	4/2002	Tsumura et al. ....	D10/108
2001/0002637	A1 *	6/2001	Hani et al. ....	187/391

FOREIGN PATENT DOCUMENTS

JP	D1114061	S	5/2001
JP	D1114062	S	5/2001
JP	D1116020	S	5/2001

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for an indicator for elevator, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of an indicator for elevator, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a reference view showing the state in use.

**1 Claim, 2 Drawing Sheets**





FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7

