



US00D656886S

(12) **United States Design Patent**  
**Kassouni**(10) **Patent No.:** **US D656,886 S**  
(45) **Date of Patent:** \*\* **Apr. 3, 2012**(54) **TARP WITH INTEGRAL ELASTIC CORD**(76) Inventor: **Van M. Kassouni**, Grand Rapids, MI  
(US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/401,681**(22) Filed: **Sep. 14, 2011****Related U.S. Application Data**

(62) Division of application No. 29/375,225, filed on Sep. 20, 2010.

(51) **LOC (9) Cl.** **12-16**(52) **U.S. Cl.** **D12/401**(58) **Field of Classification Search** ..... D12/401-405;  
160/370.21, 370.22, 370.23; 280/770; 150/158,  
150/165-167; 224/328; 296/136.01, 95.1,  
296/84.1, 77.1; 135/88.01, 88.1, 91, 93,  
135/95

See application file for complete search history.

(56) **References Cited****U.S. PATENT DOCUMENTS**

3,614,154 A	10/1971	Evans
4,590,715 A	5/1986	Pandell
4,795,207 A	1/1989	Clarke
5,014,758 A *	5/1991	Stinson ..... 150/168
5,050,924 A	9/1991	Hansen
D328,160 S *	7/1992	Sudduth ..... D29/112
5,240,756 A	8/1993	Finell et al.
D448,917 S *	10/2001	Grant ..... D2/867
6,330,721 B1 *	12/2001	Wallace et al. ..... 2/174
D504,863 S *	5/2005	Edwards ..... D12/401
D566,929 S *	4/2008	Huang ..... D2/867
D569,080 S *	5/2008	Huang ..... D2/867
D584,212 S *	1/2009	Morin ..... D12/401
7,757,734 B2	7/2010	Hooker et al.
D628,425 S	12/2010	Inui et al.
2006/0095013 A1*	5/2006	Hayman ..... 604/385.09
2007/0266493 A1*	11/2007	Jimenez ..... 4/661
2007/0284023 A1*	12/2007	Sitarz ..... 150/166
2009/0078845 A1	3/2009	Koszeghy

2009/0102230 A1	4/2009	Pehrson
2009/0151046 A1*	6/2009	Donovan ..... 2/174
2009/0183809 A1	7/2009	Wiegel
2009/0193616 A1	8/2009	Hendricks et al.
2009/0211673 A1	8/2009	Neren
2010/0096052 A1	4/2010	Graham
2010/0200130 A1	8/2010	Wilson
2010/0326017 A1*	12/2010	Kindel ..... 53/461
2011/0067790 A1	3/2011	Bzdell



\* cited by examiner


*Primary Examiner* — Caron D Veynar*Assistant Examiner* — Katrina A Betton(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhart & Flory, LLP(57) **CLAIM**

The ornamental design for the tarp with integral elastic cord, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a generally square-shaped tarp with integral elastic cord in accordance with the present invention, shown in a relaxed or non-stretched state; FIG. 2 is a top plan view of the tarp with integral elastic cord of FIG. 1; FIG. 3 is a bottom plan view of the tarp with integral elastic cord of FIG. 1; FIG. 4 is a side elevation of the tarp with integral elastic cord of FIG. 1; FIG. 5 is an opposite side elevation of the tarp with integral elastic cord of FIG. 1; FIG. 6 is a top plan view of the tarp with integral elastic cord of FIG. 1, shown in a stretched state; FIG. 7 is a bottom plan view of the tarp with integral elastic cord of FIG. 6; and, FIG. 8 is a side elevation of the tarp with integral elastic cord of FIG. 6. In the drawings, the dot dash broken lines in FIGS. 3, 4, 5, 6, 7 and 8 depict portions of the design that form no part of the claim.


**1 Claim, 5 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**