



US00D656997S

(12) **United States Design Patent**
Levin et al.

(10) **Patent No.:** **US D656,997 S**
(45) **Date of Patent:** **** Apr. 3, 2012**

(54) **COMBINATION ELECTROMAGNETICALLY CHARGED BALL AND CRADLE**

(75) Inventors: **Mark Levin**, Papillion, NE (US);
Gwendolyn Newsome, Omaha, NE (US); **Song Dong**, Shenzhen (CN)

(73) Assignee: **Sergeant's Pet Care Products, Inc.**, Omaha, NE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/354,127**

(22) Filed: **Jan. 20, 2010**

(51) **LOC (9) Cl.** **21-01**

(52) **U.S. Cl.** **D21/404; D21/398; D21/713; D21/715**

(58) **Field of Classification Search** D21/385, D21/386, 390, 404, 498, 707, 710, 713, 715-717, D21/785, 791, 794, 796, 811-813, 789; D11/121, D11/130, 131, 145, 157, 164; D19/61, 66, D19/70, 71, 75, 95-97; D9/667, 726, 501, D9/517, 519, 414, 428, 434, 436, 447, 455; D20/10, 12, 15, 19-21; D24/211-215; D99/99; D13/183; D3/257; D6/396, 397, 449, 455, D6/457, 466; D30/101, 104, 121, 132; 273/342, 273/348.2, 348.3, 348.5, 400, 408, 108, 108.2, 273/108.21, 108.5, 126 R, 126 A, 127 R, 273/236-239, 288-291, 448, 456; 248/309.4, 248/314, 346.01, 346.03, 346.11, 346.5; 428/11; 473/106, 280, 351, 405, 406, 569, 473/570, 587-589; 446/69, 140, 129, 137, 446/236, 267, 431, 484, 491; 211/14, DIG. 1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

28,238 A * 5/1860 Ladd 211/14

1,363,769 A * 12/1920 Gaylor 273/258
1,554,327 A * 9/1925 Boberg 248/346.11
2,812,184 A * 11/1957 McGee 473/280
2,867,940 A * 1/1959 Pitton 220/660
2,921,792 A * 1/1960 Guss 273/129 R
3,278,011 A * 10/1966 Viemeister 206/457

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2002307447 A * 10/2002

OTHER PUBLICATIONS

Caring for Pets Since 1868—Zoink Fetch 'n Flash Ball, Product No. 07068, <http://sergeants.com/products/ProductCatalog.asp?one=1&two=69&three=171&pr=9697>, dated Apr. 30, 2010 (3 pages).

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Brian B. Diekhoff; Polsinelli Shughart PC

(57) **CLAIM**

The ornamental design for an combination electromagnetically charged ball and cradle, as shown and described.

DESCRIPTION

FIG. 1 is an exploded front perspective view of the combination electromagnetically charged ball and cradle showing our new design;

FIG. 2 is a front elevation view shown with the ball resting in the cradle;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a side elevation view thereof;


FIG. 5 is an elevation view of the opposite side of FIG. 4;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines showing in FIGS. 1-3 and 6 are included for the purpose of illustrating details of the cradle portion that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D656,997 S

Page 2

U.S. PATENT DOCUMENTS			
3,580,575	A	5/1971	Speeth
4,456,258	A *	6/1984	Lodrick 273/241
5,066,011	A	11/1991	Dykstra et al.
5,102,131	A	4/1992	Remington et al.
5,236,383	A	8/1993	Connelly
5,725,445	A	3/1998	Kennedy et al.
5,779,574	A	7/1998	Allman et al.
5,779,575	A	7/1998	Hsieh
5,924,942	A	7/1999	Gentile
6,280,344	B1	8/2001	Robb
6,415,534	B1 *	7/2002	Liao 40/407
7,530,899	B2 *	5/2009	Shojiro 473/280
2001/0049311	A1	12/2001	Lewis et al.
2003/0054902	A1 *	3/2003	Masutani 473/351
2005/0261083	A1	11/2005	Liao
2006/0249096	A1	11/2006	Gick
2007/0245910	A1 *	10/2007	Hung 101/35
2009/0013892	A1 *	1/2009	Judson et al. 102/502
2009/0014957	A1 *	1/2009	Hoeting 273/288
2009/0042658	A1	2/2009	Suit

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7