



US00D657082S

(12) **United States Design Patent**  
**Sato**

(10) **Patent No.:** **US D657,082 S**  
(45) **Date of Patent:** **\*\* Apr. 3, 2012**

(54) **FRONT COMBINATION LAMP FOR AN  
AUTOMOBILE**

(75) Inventor: **Junnosuke Sato**, Saitama (JP)

(73) Assignee: **Honda Motor Co., Ltd**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/391,732**

(22) Filed: **May 12, 2011**

(51) **LOC (9) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Classification Search** ..... D26/28–36;  
362/459–468, 475–478, 485–487  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                    |        |
|--------------|---------|--------------------|--------|
| D550,383 S * | 9/2007  | Asai .....         | D26/28 |
| D556,349 S * | 11/2007 | Golden et al. .... | D26/28 |
| D560,291 S * | 1/2008  | Koyama .....       | D26/28 |
| D561,358 S * | 2/2008  | Tachibana .....    | D26/28 |
| D642,306 S * | 7/2011  | Tokizane .....     | D26/28 |

**FOREIGN PATENT DOCUMENTS**

|    |                   |        |
|----|-------------------|--------|
| AU | 20101190          | 9/2010 |
| EM | 000539481-0015 A1 | 7/2006 |
| EM | 000901178-0001 A1 | 4/2009 |
| EM | 000396361-0001 A2 | 9/2011 |

|    |            |         |
|----|------------|---------|
| FR | 040345-001 | 6/2004  |
| JP | 1328862    | 5/2008  |
| RU | 61107      | 12/2006 |
| RU | 71460      | 3/2008  |
| RU | 70172      | 4/2009  |

**OTHER PUBLICATIONS**

Russian Office Action dated Jun. 27, 2011, issued in corresponding Russian Patent Application No. 2011500482.

\* cited by examiner

*Primary Examiner* — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Westerman, Hattori,  
Daniels & Adrian, LLP; William F. Westerman

(57) **CLAIM**

The ornamental design for a front combination lamp for an automobile, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a front combination lamp for an automobile, showing our new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a top plan view thereof; and,  
FIG. 4 is a left side elevation view thereof.  
The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG.1




FIG.2




FIG.3





FIG.4



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D657,082 S  
APPLICATION NO. : 29/391732  
DATED : April 3, 2012  
INVENTOR(S) : Junnosuke Sato

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**On the cover page:**

Insert

item --(30) **Foreign Application Priority Data**

Nov. 15, 2010 (JP)..... 2010-027400--

**On the cover page, item 56:**

Change

FOREIGN PATENT DOCUMENTS


AU 20101190 9/2010

To be

FOREIGN PATENT DOCUMENTS

AU 20101190 9/2010

Signed and Sealed this  
Eighteenth Day of September, 2012

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D".

David J. Kappos  
*Director of the United States Patent and Trademark Office*