



US00D657226S

(12) **United States Design Patent**
Benson et al.

(10) **Patent No.:** **US D657,226 S**
(45) **Date of Patent:** **** Apr. 10, 2012**

(54) **HELMET LOCKING MECHANISM**

(76) Inventors: **Brooks Benson**, Denver, CO (US);
Jackson Bock, Denver, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/392,047**

(22) Filed: **May 17, 2011**

(51) **LOC (9) Cl.** **08-07**

(52) **U.S. Cl.** **D8/333**

(58) **Field of Classification Search** D8/330-347;
70/14, 18, 30, 49, 57.1, 58, 59, 229-233,
70/258, 38 A; 411/910; 224/413, 427;
248/551-553

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|--------|----------------|---------|
| 3,896,643 | A * | 7/1975 | Kawakami | 70/59 |
| 4,676,080 | A * | 6/1987 | Schwarz | 70/59 |
| 4,774,271 | A * | 9/1988 | Lindner et al. | 523/342 |
| 5,117,662 | A * | 6/1992 | Holmes | 70/59 |
| D369,088 | S * | 4/1996 | Brendel | D8/333 |
| D370,401 | S * | 6/1996 | Minkin | D8/333 |
| 5,664,444 | A * | 9/1997 | Schaan | 70/14 |
| D390,771 | S * | 2/1998 | Egger | D8/333 |
| D427,883 | S * | 7/2000 | Ling | D8/331 |
| D457,802 | S * | 5/2002 | Meekma et al. | D8/333 |

| | | | | |
|-----------|------|---------|-----------|--------|
| 6,415,635 | B1 * | 7/2002 | Jonasson | 70/59 |
| 6,966,075 | B2 * | 11/2005 | Racine | 2/425 |
| D540,149 | S * | 4/2007 | Tollefson | D8/330 |

* cited by examiner

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — The Reilly Intellectual Property Law Firm, P.C.; Ellen Reilly; John E. Reilly

(57) **CLAIM**


The ornamental design for a helmet locking mechanism, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a helmet locking mechanism showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a left perspective view thereof, with the lock unfastened; FIG. 8 is an another left perspective view thereof; and, FIG. 9 is a perspective view thereof, shown in the environmental use.

The broken lines environment is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9