



US00D657232S

(12) **United States Design Patent**  
**Stahl, Sr. et al.**

(10) **Patent No.:** **US D657,232 S**  
(45) **Date of Patent:** **\*\* Apr. 10, 2012**

(54) **FIRESTOPPING BUSHING MADE FROM TWO SEPARATE IDENTICAL PARTS**

(75) Inventors: **James P. Stahl, Sr.**, Stockton, NJ (US);  
**James P. Stahl, Jr.**, Princeton Junction, NJ (US); **Julio Lopes**, Dunellen, NJ (US); **Paul Gandolfo**, Doylestown, PA (US)

(73) Assignee: **Specified Technologies, Inc.**, Somerville, NJ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/370,644**

(22) Filed: **Aug. 17, 2010**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/354**

(58) **Field of Classification Search** ..... D8/354,  
D8/356; 52/220.8, 223.13, 742.1, 232, 698;  
248/56; 174/83

See application file for complete search history.

4,623,170 A	11/1986	Cornwall	
4,630,415 A	12/1986	Attwell	
4,752,652 A *	6/1988	Danti et al. ....	174/83
4,912,285 A *	3/1990	Falciglia ....	174/83
4,936,064 A	6/1990	Gibb	
5,174,077 A	12/1992	Murota	
5,347,767 A	9/1994	Roth	
5,390,465 A	2/1995	Rajecki	
5,447,400 A	9/1995	Seymour	
5,560,174 A	10/1996	Goto	
5,594,202 A	1/1997	Tobias	
5,634,304 A	6/1997	Sakno	
5,729,938 A	3/1998	Tobias	
5,947,159 A	9/1999	Takahashi	
6,711,329 B2	3/2004	Zelesnik	
6,718,100 B2	4/2004	Morris	
6,876,797 B2	4/2005	Morris	
D517,900 S *	3/2006	Goldenberg et al. ....	D8/354

\* cited by examiner

*Primary Examiner* — Holly Baynham

(74) *Attorney, Agent, or Firm* — Sperry, Zoda & Kane

(57) **CLAIM**

The ornamental design for a firestopping bushing made from two separate identical parts, as shown.

(56) **References Cited**


U.S. PATENT DOCUMENTS

2,542,583 A	2/1951	Shea, Jr.	
2,985,091 A	5/1961	Hatcher	
3,125,358 A	3/1964	Kleinberg et al.	
3,643,290 A *	2/1972	Milne .....	16/2.1
4,018,983 A	4/1977	Pedlow	
4,086,736 A	5/1978	Landrigan	
4,225,649 A	9/1980	Peterson	
4,276,332 A	6/1981	Castle	
4,302,917 A	12/1981	Fermvik et al.	
4,363,199 A	12/1982	Kucheria et al.	
4,467,577 A	8/1984	Licht	
4,513,173 A	4/1985	Merry	
4,548,853 A	10/1985	Bryan	
4,559,745 A	12/1985	Wexler	

**DESCRIPTION**

FIG. 1 is a front plan view of the bushing embodying our new design;  
FIG. 2 is a front three-quarter perspective view of either of the two identically configured parts;  
FIG. 3 is a front plan view and rear plan view;  
FIG. 4 is a left side plan view and a right side plan view of the embodiment shown in FIG. 1;  
FIG. 5 is a top plan view of the embodiment shown in FIG. 1; and,  
FIG. 6 is a bottom plan view of the embodiment shown in FIG. 1.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6