



US00D657347S

(12) **United States Design Patent**
Chung et al.

(10) **Patent No.:** **US D657,347 S**
(45) **Date of Patent:** **** Apr. 10, 2012**

(54) **HEADSET FOR A COMMUNICATION DEVICE**

(75) Inventors: **Won Suk Chung**, Chicago, IL (US);
Daniel V Clements, Crown Point, IN (US);
Adam Cybart, McHenry, IL (US);
Christopher B Houghton, Chicago, IL (US);
Dickon Isaacs, Chicago, IL (US);
Alwyn M Sekhri, Homer Glen, IL (US);
Max K Yoshimoto, Chicago, IL (US)

(73) Assignee: **Motorola Mobility, Inc.**, Libertyville, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/382,204**

(22) Filed: **Dec. 30, 2010**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/206; D14/223**

(58) **Field of Classification Search** D14/205,
D14/206, 223, 225; 181/129, 130, 135; 379/430,
379/431; D24/174; 381/380, 381, 328, 330;
455/90.3, 575.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,233,344	B1 *	5/2001	Clegg et al.	381/374
D469,081	S *	1/2003	Perszyk et al.	D14/205
D474,178	S *	5/2003	Eroma	D14/223
D490,398	S *	5/2004	Gwee	D14/205
6,775,389	B2 *	8/2004	Harrison et al.	381/330
D511,156	S *	11/2005	Eroma et al.	D14/223
D512,984	S *	12/2005	Ham	D14/205
D518,473	S *	4/2006	Gwee	D14/205
D520,496	S *	5/2006	Gwee	D14/223

D521,492	S *	5/2006	Ham	D14/205
7,155,023	B2 *	12/2006	Dittli	381/330
D539,266	S *	3/2007	Bentley et al.	D14/205
D541,787	S *	5/2007	Ma	D14/205
D557,255	S *	12/2007	Shintani	D14/206
D571,784	S *	6/2008	Jensen et al.	D14/205
D584,719	S *	1/2009	Brennwald	D14/223
D603,372	S *	11/2009	Bentley	D14/206
D612,834	S *	3/2010	Yang et al.	D14/206
D612,835	S *	3/2010	Yang et al.	D14/206
D612,840	S *	3/2010	Yang et al.	D14/223
D630,186	S *	1/2011	Yang	D14/205
D647,877	S *	11/2011	Son	D14/206

* cited by examiner

Primary Examiner — Paula Greene

(57) **CLAIM**


The ornamental design for a headset for a communication device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an ornamental design for a headset for a communication device;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a first side view thereof;
FIG. 4 is a second side view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

The broken lines shown in FIGS. 1-8, that are immediately adjacent to the shaded areas, and define unshaded regions, represent the bounds of the first embodiment, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the first embodiment.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8