



US00D657444S

(12) **United States Design Patent**  
**Kobayashi et al.**

(10) **Patent No.:** **US D657,444 S**

(45) **Date of Patent:** **\*\* Apr. 10, 2012**

(54) **BLOOD RESERVOIR**

*Primary Examiner* — Susan E Krakower

(75) Inventors: **Susumu Kobayashi**, Osaka (JP); **Yuji Kuwahara**, Osaka (JP)

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(73) Assignee: **Nipro Corporation**, Osaka (JP)

(57) **CLAIM**

The ornamental design for a blood reservoir, as shown and described.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,478**

**DESCRIPTION**

(22) Filed: **Mar. 27, 2009**

(30) **Foreign Application Priority Data**

Oct. 9, 2008 (JP) ..... 2008-026039

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/108**

(58) **Field of Classification Search** ..... D24/107,  
D24/108, 111, 112, 117, 118, 121, 129, 164,  
D24/167, 169; 494/2, 16, 36, 37, 84, 17,  
494/20, 31, 33, 34; 435/2; 436/177; 422/99,  
422/101, 102, 103; 210/257.1, 259, 422,  
210/782, 806; 604/7, 6.15, 6.1, 30, 27, 19,  
604/317, 403, 410

See application file for complete search history.

FIG. 1 is a perspective view of a blood reservoir in accordance with our new design;

FIG. 2 is a front elevational view of the blood reservoir illustrated in FIG. 1;

FIG. 3 is a rear elevational view of the blood reservoir illustrated in FIG. 1;

FIG. 4 is a left side elevational view of the blood reservoir illustrated in FIG. 1;

FIG. 5 is a right side elevational view of the blood reservoir illustrated in FIG. 1;

FIG. 6 is a top plan view of the blood reservoir illustrated in FIG. 1;

FIG. 7 is a bottom plan view of the blood reservoir illustrated in FIG. 1;

FIG. 8 is an enlarged perspective view of one of the ports of the blood reservoir illustrated in FIG. 1;

FIG. 9 is an enlarged perspective view of one of the three knobs of the blood reservoir illustrated in FIGS. 1; and,

FIG. 10 is an enlarged perspective view of a bottom port of the blood reservoir illustrated in FIG. 1.

The blood reservoir has an outer housing portion and a cap portion that are transparent so that an internal filter portion is visible. In FIG. 8, only one of the ports on the cap portion is shown. All of the other ports have the same shape, but vary in size. In FIG. 9, only one of the three knobs on the cap portion is shown. The other knobs on the cap portion are identical. In FIG. 10, the bottom port is formed on a bottom part of the outer housing portion of the blood reservoir.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D282,282 S	1/1986	Chernack	
4,743,371 A *	5/1988	Servas et al. ....	210/188
D322,124 S *	12/1991	Lichte et al. ....	D24/117
D323,557 S *	1/1992	Kida et al. ....	D24/169
D336,514 S *	6/1993	Valerio et al. ....	D24/111
D367,110 S *	2/1996	Cotter .....	D24/118
D626,645 S *	11/2010	Omori et al. ....	D24/108

**FOREIGN PATENT DOCUMENTS**

JP	661470 S	9/1985
JP	662747 S	10/1985

(Continued)

**1 Claim, 8 Drawing Sheets**



# US D657,444 S

Page 2

---

FOREIGN PATENT DOCUMENTS					
			JP	06-343694 A	12/1994
			JP	903362-1 S	5/1996
JP	662758-1 S	10/1985	JP	1105681 S	4/2001
JP	662758 S	10/1985	JP	1135896 S	3/2002
JP	750225 S	11/1985	JP	1135897 S	3/2002
JP	750233 S	11/1988	JP	1154273 S	9/2002
JP	783881 S	3/1990	JP	1155927 S	10/2002
JP	876930 S	9/1993			
JP	05-317420 A	12/1993			
JP	903362 S	7/1994			

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7

Fig. 8




Fig. 9




Fig. 10

