



US00D657755S

(12) **United States Design Patent**  
**Onoda et al.**

(10) **Patent No.:** **US D657,755 S**  
(45) **Date of Patent:** **\*\* Apr. 17, 2012**

(54) **REMOTE CONTROLLER FOR HEARING AID**

(75) Inventors: **Akira Onoda**, Ehime (JP); **Masaki Takemoto**, Ehime (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/397,920**

(22) Filed: **Jul. 22, 2011**

(30) **Foreign Application Priority Data**

Feb. 9, 2011 (JP) ..... 2011-002731

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D13/168**

(58) **Field of Classification Search** ..... D13/168;  
D10/104.1, 106.1; D14/155, 218; D24/174;  
315/158, 295; 340/4.3, 4.42, 12.22, 12.23,  
340/12.24, 12.29, 12.3, 13.2, 13.21, 13.24;  
341/176; 345/169; 381/315; 455/352; 700/17,  
700/65, 83

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D375,909 S \* 11/1996 Dziarsk et al. .... D10/106.1  
D389,806 S 1/1998 Nielsen  
D468,706 S 1/2003 Schelbach  
D505,118 S 5/2005 Arz et al.  
D510,075 S 9/2005 Arz et al.  
D512,383 S 12/2005 Arz et al.  
7,133,026 B2 \* 11/2006 Horie et al. .... 345/163  
D590,781 S 4/2009 Powers et al.

D602,916 S \* 10/2009 Won et al. .... D14/218  
D605,293 S \* 12/2009 Kurokawa et al. .... D24/174  
D612,850 S \* 3/2010 Cabatic ..... D14/388  
D619,546 S \* 7/2010 Chiu ..... D13/168  
D623,148 S \* 9/2010 Wieberdink et al. .... D13/168  
D627,306 S \* 11/2010 Charleux ..... D13/168  
2002/0090099 A1 \* 7/2002 Hwang ..... 381/312  
2008/0049957 A1 \* 2/2008 Topholm ..... 381/315  
2010/0040248 A1 \* 2/2010 Shridhar et al. .... 381/315  
2010/0067723 A1 \* 3/2010 Bergmann et al. .... 381/315  
2010/0142738 A1 \* 6/2010 Zhang et al. .... 381/315

**FOREIGN PATENT DOCUMENTS**

JP D820241 10/1991  
JP D928067 6/1995  
JP D928068 6/1995

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a remote controller for hearing aid, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a remote controller for hearing aid of the present invention;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a first side view thereof;  
FIG. 6 is a second side view thereof;  
FIG. 7 is a top view thereof; and,  
FIG. 8 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

