



US00D657819S

(12) **United States Design Patent**
Le

(10) **Patent No.:** **US D657,819 S**
(45) **Date of Patent:** **** Apr. 17, 2012**

(54) **BINDER**

(75) Inventor: **L. Sean Le**, Yorba Linda, CA (US)

(73) Assignee: **Avery Dennison Corporation**,
Pasadena, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,752**

(22) Filed: **Jul. 29, 2010**

(51) **LOC (9) Cl.** **19-04**

(52) **U.S. Cl.** **D19/27**

(58) **Field of Classification Search** D19/26-33,
D19/86, 99; 281/15.1, 20, 21.1, 27.1-27.3,
281/29-31, 45, 48; 402/4, 60, 70, 73, 76,
402/80 L, 80 P, 80 R

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,121,197 A	12/1914	McMillan	
1,913,818 A	6/1933	Petrick	
2,317,673 A *	4/1943	Craig	434/98
3,837,680 A	9/1974	Cimini	
3,936,202 A	2/1976	Brajituli	
4,296,945 A *	10/1981	Pavlik	281/51
4,515,493 A	5/1985	Radovich	
4,848,948 A	7/1989	Pitts	
4,943,177 A	7/1990	Jordan et al.	
D320,411 S	10/1991	Wyant	
5,104,250 A	4/1992	Pacione	
5,114,009 A *	5/1992	Johnston	206/425
5,174,674 A	12/1992	Norwood	
5,215,398 A	6/1993	White et al.	
5,236,226 A *	8/1993	Sheffield	281/48
5,411,293 A	5/1995	Monzyk	
5,494,366 A	2/1996	Pell et al.	
5,511,825 A	4/1996	Van De Pol	
D371,161 S *	6/1996	Duval et al.	D19/27
5,725,196 A	3/1998	Scheel	
5,725,251 A	3/1998	Heggeland	
5,951,189 A	9/1999	Winzen	
5,951,190 A	9/1999	Wilson	
D414,801 S *	10/1999	Karten et al.	D19/27
6,024,508 A	2/2000	Lippeth et al.	

6,030,140 A *	2/2000	Karten et al.	402/73
6,267,413 B1	7/2001	Tran	
6,305,714 B1	10/2001	Rossetto et al.	
6,332,630 B1	12/2001	Wolff et al.	
6,379,070 B1	4/2002	Butchma	
6,386,784 B1	5/2002	Ruble	
6,540,517 B1	4/2003	Polick	
6,695,519 B2	2/2004	Tims et al.	
6,773,195 B2	8/2004	Tims	
7,252,452 B2 *	8/2007	Africa et al.	402/73
7,441,977 B2	10/2008	Merzon	
D599,852 S *	9/2009	Baker et al.	D19/27
D611,533 S *	3/2010	Baker et al.	D19/27
D618,277 S *	6/2010	Baker et al.	D19/27
7,823,926 B2 *	11/2010	Richied et al.	281/21.1
2004/0164543 A1	8/2004	Yamamoto et al.	
2005/0166545 A1	8/2005	Merzon	
2005/0226681 A1	10/2005	Merzon	
2007/0085323 A1	4/2007	Merzon	
2007/0086841 A1	4/2007	Merzon	
2007/0086842 A1	4/2007	Merzon	
2007/0086843 A1	4/2007	Merzon	
2007/0086844 A1	4/2007	Merzon	
2007/0086845 A1	4/2007	Merzon	
2007/0297849 A1	12/2007	Merzon	
2008/0023512 A1	1/2008	Merzon	
2008/0030015 A1	2/2008	Merzon	
2008/0035502 A1	2/2008	Merzon	
2008/0304901 A1	12/2008	Seman	

FOREIGN PATENT DOCUMENTS

EP	0933231	8/1999
WO	2007/030428	3/2007
WO	2007/089935	8/2007

OTHER PUBLICATIONS


Z-Style Sewn View Binder 1"; Case-It, Audio Visual and Back to School Storage Solutions; <http://www.caseit.com/caseit/eproddetail.asp?S=125&P=7916&PubID=4459&V=25&PID=>.

Internet Article entitled "Kids' Backpacks and Lockers Get More Room with OfficeMax School Supplies that Compact and Fold"; Jul. 28, 2004; <http://www.prnewswire.com/cgi-bin/stories.pl?ACCT=104&STORY=/www/story/07-28-2004/0002220013&EDATE=>.

Z-175 Z-Binder 2-in-1 Zipper Binder; Case-It, Audio Visual and Back to School Storage Solutions; <http://www.caseit.com/caseit/eproddetail.asp?S=125&P=7916&PubID=4459&V=25&PID=>.

Internet Article entitled "BinderBuddies® in Action"; Sep. 14, 2005; <http://binderbuddies.blogspot.com/2005/09/amsacs-installs-z-binder-and.html>.

* cited by examiner



Primary Examiner — T. Chase Nelson

Assistant Examiner — Kathleen M Sims

(74) *Attorney, Agent, or Firm* — Avery Dennison Corporation

(57) **CLAIM**

I claim the ornamental design for a binder, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a binder embodying my new design with the binder in a closed configuration, the binder has a front panel, a back panel, a middle panel between the front panel and the back panel, and a spine between the middle panel and the front panel.

FIG. 2 is a front elevational view of the binder of FIG. 1.

FIG. 3 is a back elevational view of the binder of FIG. 1.

FIG. 4 is a top-edge elevational view of the binder of FIG. 1.

FIG. 5 is a bottom-edge elevational view of the binder of FIG. 1.

FIG. 6 is a left-side elevational view of the binder of FIG. 1.

FIG. 7 is a right-side elevational view of the binder of FIG. 1.

FIG. 8 is a top perspective view of the binder of FIG. 1 in a partially open configuration with the front panel open showing an inside surface of the front panel having a pocket and the middle panel having a set of binder rings.

FIG. 9 is a front elevational view of the binder of FIG. 8.

FIG. 10 is a back elevational view of the binder of FIG. 8.

FIG. 11 is a top-edge elevational view of the binder of FIG. 8.

FIG. 12 is a bottom-edge elevational view of the binder of FIG. 8.

FIG. 13 is a left-side elevational view of the binder of FIG. 8.

FIG. 14 is a right-side elevational view of the binder of FIG. 8.

FIG. 15 is a top perspective view of the binder of FIG. 1 in a partially open configuration with the back panel open.

FIG. 16 is a front elevational view of the binder of FIG. 15.

FIG. 17 is a back elevational view of the binder of FIG. 15

showing an inside surface of the middle panel having a clip.

FIG. 18 is a top-edge elevational view of the binder of FIG. 15.

FIG. 19 is a bottom-edge elevational view of the binder of FIG. 15.

FIG. 20 is a left-side elevational view of the binder of FIG. 15.

FIG. 21 is a right-side elevational view of the binder of FIG. 15

showing an inside surface of the back panel having a pocket.

FIG. 22 is a top perspective view of the binder of FIG. 1 in an open configuration with the front panel open and the back panel open.

FIG. 23 is a front elevational view of the binder of FIG. 22.

FIG. 24 is a back elevational view of the binder of FIG. 22.

FIG. 25 is a top-edge elevational view of the binder of FIG. 22.

FIG. 26 is a bottom-edge elevational view of the binder of FIG. 22.

FIG. 27 is a left-side elevational view of the binder of FIG. 22.

FIG. 28 is a right-side elevational view of the binder of FIG. 22.

FIG. 29 is a top perspective view of a second embodiment of a binder embodying my new design with the binder in a closed configuration, the binder has a front panel, a back

panel, a middle panel between the front panel and the back panel, and a spine between the middle panel and the front panel.

FIG. 30 is a front elevational view of the binder of FIG. 29.

FIG. 31 is a back elevational view of the binder of FIG. 29.

FIG. 32 is a top-edge elevational view of the binder of FIG. 29.

FIG. 33 is a bottom-edge elevational view of the binder of FIG. 29.

FIG. 34 is a left-side elevational view of the binder of FIG. 29.

FIG. 35 is a right-side elevational view of the binder of FIG. 29.

FIG. 36 is a top perspective view of the binder of FIG. 29 in a partially open configuration with the front panel open showing an inside surface of the front panel having a pocket and the middle panel having a set of binder rings.

FIG. 37 is a front elevational view of the binder of FIG. 36.

FIG. 38 is a back elevational view of the binder of FIG. 36.

FIG. 39 is a top-edge elevational view of the binder of FIG. 36.

FIG. 40 is a bottom-edge elevational view of the binder of FIG. 36.

FIG. 41 is a left-side elevational view of the binder of FIG. 36.

FIG. 42 is a right-side elevational view of the binder of FIG. 36.

FIG. 43 is a top perspective view of the binder of FIG. 29 in a partially open configuration with the back panel open.

FIG. 44 is a front elevational view of the binder of FIG. 43.

FIG. 45 is a back elevational view of the binder of FIG. 43

showing an inside surface of the middle panel having a clip.

FIG. 46 is a top-edge elevational view of the binder of FIG. 43.

FIG. 47 is a bottom-edge elevational view of the binder of FIG. 43.

FIG. 48 is a left-side elevational view of the binder of FIG. 43.

FIG. 49 is a right-side elevational view of the binder of FIG. 43

showing an inside surface of the back panel having two pockets.

FIG. 50 is a top perspective view of the binder of FIG. 29 in an open configuration with the front panel open and the back panel open.

FIG. 51 is a front elevational view of the binder of FIG. 50.

FIG. 52 is a back elevational view of the binder of FIG. 50.

FIG. 53 is a top-edge elevational view of the binder of FIG. 50.

FIG. 54 is a bottom-edge elevational view of the binder of FIG. 50.

FIG. 55 is a left-side elevational view of the binder of FIG. 50.

FIG. 56 is a right-side elevational view of the binder of FIG. 50.

FIG. 57 is a top perspective view of another embodiment of a binder embodying my new design with the binder in a closed configuration, the binder has a front panel, a back panel, a middle panel between the front panel and the back panel, and a spine between the middle panel and the front panel.

FIG. 58 is a front plan view of the binder of FIG. 57.

FIG. 59 is a back plan view of the binder of FIG. 57.

FIG. 60 is a top-edge elevational view of the binder of FIG. 57.

FIG. 61 is a bottom-edge elevational view of the binder of FIG. 57.

FIG. 62 is a left-side elevational view of the binder of FIG. 57.

FIG. 63 is a right-side elevational view of the binder of FIG. 57.

FIG. **64** is a top perspective view of the binder of FIG. **57** in a partially open configuration with the front panel open showing an inside surface of the front panel having a pocket and the middle panel having a set of binder rings.

FIG. **65** is a front plan view of the binder of FIG. **64**; and, FIG. **66** is a back plan view of the binder of FIG. **64**.

1 Claim, 56 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

FIG. 18




FIG. 19






FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45

FIG. 46





FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66