



US00D657884S

(12) **United States Design Patent**
Imboden et al.

(10) **Patent No.:** **US D657,884 S**
(45) **Date of Patent:** **** Apr. 17, 2012**

(54) **MESSAGE DEVICE**

(75) Inventors: **Ethan F. Imboden**, San Francisco, CA
(US); **Yves Behar**, San Francisco, CA
(US); **Josh Morenstein**, San Francisco,
CA (US); **Jeff Wyatt**, Bozeman, MT
(US)

(73) Assignee: **Jimmyjane, Inc.**, San Francisco, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/384,605**

(22) Filed: **Feb. 1, 2011**

Related U.S. Application Data

(62) Division of application No. 29/342,531, filed on Aug.
26, 2009, now Pat. No. Des. 631,973.

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.** **D24/215**

(58) **Field of Classification Search** D24/200,
D24/211–215; 601/118, 120, 121, 124, 125,
601/130, 131, 134–137
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D345,801 S	4/1994	Bosch	24/200
5,704,902 A	1/1998	Vandenbelt et al.	601/72
D454,959 S	3/2002	Harris et al.	24/215
D466,217 S	11/2002	Harris et al.	24/215
D466,612 S	12/2002	Harris et al.	24/215
D476,087 S	6/2003	Dirks et al.	24/215
D485,910 S	1/2004	Chan	24/215
D509,301 S	9/2005	Talbot et al.	24/215

D517,218 S	3/2006	Kalen	24/215
D523,562 S	6/2006	Telford	24/215
D539,917 S	4/2007	Park	24/215
D546,958 S	7/2007	Kim	24/215
D571,926 S	6/2008	Wu	24/215
D574,504 S	8/2008	Imboden et al.	24/215
D576,769 S	9/2008	McGarity	28/73
D583,064 S	12/2008	Ferber et al.	24/215

(Continued)

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Winston & Strawn LLP


(57) **CLAIM**

The ornamental design for a message device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an alternative embodiment of a message device according to my new design; FIG. 2 is a front view of the message device of FIG. 1; FIG. 3 is a rear view of the message device of FIG. 1; FIG. 4 is a side view of the message device of FIG. 1, to which an opposite side view is substantially identical; FIG. 5 is a top view of the message device of FIG. 1; FIG. 6 is a bottom view of the message device of FIG. 1; FIG. 7 is a front perspective view of a message device according to my new design; FIG. 8 is a front view of the message device of FIG. 7; FIG. 9 is a rear view of the message device of FIG. 7; FIG. 10 is a side view of the message device of FIG. 7, to which an opposite side view is substantially identical; FIG. 11 is a top view of the message device of FIG. 7; and, FIG. 12 is a bottom view of the message device of FIG. 7. Elements shown in broken lines show environmental structures of the message device and form no part of our design.

1 Claim, 12 Drawing Sheets



US D657,884 S

Page 2

U.S. PATENT DOCUMENTS							
D586,469 S	2/2009	Henry	24/200	D631,973 S *	2/2011	Imboden et al.	D24/215
D597,211 S	7/2009	Ewing et al.	24/187	2007/0179412 A1	8/2007	Imboden et al.	601/72
D610,695 S	2/2010	Forte	24/211	2007/0179414 A1	8/2007	Imboden et al.	601/72
D612,511 S	3/2010	Mills et al.	24/212	2008/0306417 A1	12/2008	Imboden et al.	601/134

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12