



US00D658064S

(12) **United States Design Patent**
Barnes et al.

(10) **Patent No.:** **US D658,064 S**
(45) **Date of Patent:** **** Apr. 24, 2012**

(54) **FLUID CONTAINER**

D538,657 S 3/2007 Webb et al.
D539,656 S 4/2007 Webb et al.
D539,657 S 4/2007 Webb et al.

(75) Inventors: **John E. Barnes**, Aliso Viejo, CA (US);
Ravi K. Sawhney, Calabasas, CA (US);
Lance G. Hussey, Simi Valley, CA (US);
Chris Glupker, Thousand Oaks, CA
(US); **John Sundermeyer**, Calabasas,
CA (US); **Paul Shustak**, San Jose, CA
(US)

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Daniel P. Dooley; Fellers,
Snider, et al.

(73) Assignee: **KOR Water, Inc.**, Fountain Valley, CA
(US)

(57) **CLAIM**
The ornamental design for a fluid container, as shown and
described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/291,538**

The patent or application file contains at least one drawing
executed in color. Copies of this patent or patent application
publication with color drawing(s) will be provided by the
Office upon request and payment of the necessary fee.

(22) Filed: **Sep. 4, 2007**

FIG. 1 shows a front elevation view of novel fluid container of
the present invention having a translucent core portion sur-
rounded by opaque shell portion;

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/532**

(58) **Field of Classification Search** D9/532,
D9/529-531, 907, 516, 686, 549, 556, 558,
D9/420, 423, 527; D28/7; D3/11, 203.1,
D3/203.5, 265, 266, 201, 901; 215/382-384;
220/660

FIG. 2 depicts a back elevation view of the novel fluid con-
tainer of FIG. 1;

FIG. 3 shows a left side elevation view of the novel fluid
container of FIG. 1, revealing the contours of the neck portion
of the translucent core portion of the novel fluid container;

FIG. 4 shows a right side elevation view of the novel fluid
container of FIG. 1;

See application file for complete search history.

FIG. 5 depicts a top plan view of the novel fluid container of
FIG. 1, showing an open oval aperture enclosed by the opaque
shell, said open oval aperture reveals a solid colored retention
cap;

(56) **References Cited**

U.S. PATENT DOCUMENTS


D363,431 S	*	10/1995	Mansau	D9/557
D434,979 S	*	12/2000	Liu	D9/415
D482,972 S	*	12/2003	Young et al.	D9/523
D505,080 S	*	5/2005	Cagle	D9/571
D506,137 S	*	6/2005	Durivage	D9/527
D526,010 S	*	8/2006	Otis et al.	D18/56
D531,508 S		11/2006	Steih et al.		
D531,512 S		11/2006	Yu		
D533,459 S		12/2006	Wagner		
D536,929 S		2/2007	Kingsley		
D537,676 S		3/2007	Kingsley		
D538,597 S		3/2007	Kim		

FIG. 6 illustrates a bottom plan view of the novel fluid con-
tainer of FIG. 1, showing a translucent oval feature enclosed
by the opaque shell; and,

FIG. 7 shows a left, front perspective view of the novel fluid
container of FIG. 1.

The portion of the design shown in broken lines in FIGS. 1
and 7 is disclaimed by the Applicant as being part of the
invention.

1 Claim, 7 Drawing Sheets
(7 of 7 Drawing Sheet(s) Filed in Color)



US D658,064 S

Page 2

U.S. PATENT DOCUMENTS

D539,660 S 4/2007 Bunch
D539,913 S 4/2007 Mitchell
D542,598 S * 5/2007 Karp D7/510
D545,679 S 7/2007 Kelleghan
D548,082 S 8/2007 Kingsley
D549,446 S 8/2007 Lown et al.

D554,512 S * 11/2007 Nukuto et al. D9/529
D557,615 S * 12/2007 Kroupa et al. D9/730
D564,363 S * 3/2008 Rhea D9/734
D573,474 S * 7/2008 Beam et al. D9/529
D575,157 S * 8/2008 Jaketic D9/516

* cited by examiner



FIG. 1



FIG. 2



FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7