



US00D658082S

(12) **United States Design Patent**  
**Takatsuki et al.**

(10) **Patent No.:** **US D658,082 S**  
(45) **Date of Patent:** **\*\* Apr. 24, 2012**

(54) **PRESSURE SENSOR**

(75) Inventors: **Osamu Takatsuki**, Tokyo (JP);  
**Tomohisa Aoyama**, Tokyo (JP)

(73) Assignee: **Fujikoki Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/371,627**

(22) Filed: **Jun. 7, 2011**

(30) **Foreign Application Priority Data**

Apr. 11, 2011 (JP) ..... 2011-008238

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/85**

(58) **Field of Classification Search** ..... D10/85-86;  
73/718, 724, 756, 818; 361/277, 278, 283.1-283.4;  
D15/143; D23/233

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D288,910 S \* 3/1987 Linzer ..... D10/85  
D447,969 S \* 9/2001 Shimomoto et al. .... D10/85

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a pressure sensor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a pressure sensor showing our new design;

FIG. 2 is a front view thereof, a rear view being identical to the front view;


FIG. 3 is a right side view thereof, a left side view being identical to the right side view;

FIG. 4 is a plane view thereof; and,

FIG. 5 is a bottom view.

The broken lines depict portions of the pressure sensor that form no part of claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3

FIG. 4




FIG. 5

