



US00D658232S

(12) **United States Design Patent**  
**Bindra**

(10) **Patent No.:** **US D658,232 S**

(45) **Date of Patent:** **\*\* Apr. 24, 2012**

(54) **BINDER**

(75) **Inventor:** **Sarvjeet S. Bindra**, San Diego, CA (US)

(73) **Assignee:** **Fibrosource USA, Inc.**, Wayne, PA (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/310,873**

(22) **Filed:** **Sep. 16, 2008**

(51) **LOC (9) Cl.** ..... **19-04**

(52) **U.S. Cl.** ..... **D19/27**

(58) **Field of Classification Search** ..... D19/26,  
D19/27, 30-31, 90, 423; 281/4, 31, 29, 37;  
D9/423; D3/301, 303; D6/407, 632, 626;  
402/73

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

251,998	A *	1/1882	Colton	.....	402/13
1,199,634	A *	9/1916	Urmston	.....	229/77
4,807,906	A	2/1989	Seaver		
5,028,159	A	7/1991	Amrich et al.		
5,692,849	A *	12/1997	Kiyomi	.....	402/73
5,697,722	A	12/1997	Hladik et al.		
5,704,646	A *	1/1998	Tzeng	.....	281/29
5,716,153	A	2/1998	Aiello		
D424,622	S *	5/2000	Moor	.....	D19/99
D432,172	S *	10/2000	Moor	.....	D19/99
6,196,749	B1 *	3/2001	Chizmar	.....	402/42
6,423,402	B1	7/2002	Ali		
D499,761	S *	12/2004	Walley et al.	.....	D19/26
6,971,815	B1	12/2005	Cruz		

D518,105	S *	3/2006	Hough et al.	.....	D19/86
D521,072	S *	5/2006	Hough et al.	.....	D19/90
D536,376	S	2/2007	Wehmeyer		
D544,538	S	6/2007	Kesselring		
7,252,452	B2 *	8/2007	Africa et al.	.....	402/73
D567,849	S *	4/2008	Bharma	.....	D19/26
D601,188	S *	9/2009	Grassia et al.	.....	D19/26
2001/0051069	A1 *	12/2001	Youngs et al.	.....	402/73
2010/0320741	A1 *	12/2010	Tao	.....	281/29

\* cited by examiner

*Primary Examiner* — Michael Pratt

(74) *Attorney, Agent, or Firm* — John F. A. Earley, III; Frank J. Bonini, Jr.; Harding, Earley, Follmer & Frailey, P.C.

(57) **CLAIM**

An ornamental design for a binder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a binder showing my new design;

FIG. 2 is a right side elevation view of the binder of FIG. 1;

FIG. 3 is a left side elevation view of the binder of FIG. 1;

FIG. 4 is a rear elevation view of the binder of FIG. 1;

FIG. 5 is a top plan view of the binder of FIG. 1;


FIG. 6 is a bottom plan view of the binder of FIG. 1;

FIG. 7 is a front perspective view of the binder of FIG. 1, as viewed from the left side; and,

FIG. 8 is a front elevation view showing the binder in a second configuration.

The broken line showing of portions of the binder in FIGS. 3, 5, 6 and 7 forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3





FIG. 4



**FIG. 6**



**FIG. 5**



**FIG. 7**




FIG. 8