



US00D658333S

(12) **United States Design Patent**
Folkesson et al.

(10) **Patent No.:** **US D658,333 S**

(45) **Date of Patent:** **** Apr. 24, 2012**

(54) **HEADGEAR**

(75) Inventors: **Jan L. Folkesson**, Värnamo (SE); **Johan M. Sallander**, Jönköping (SE)

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/360,740**

(22) Filed: **Apr. 30, 2010**

(30) **Foreign Application Priority Data**

Nov. 3, 2009 (EM) 1175616

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.** **D29/108**

(58) **Field of Classification Search** D29/100,
D29/102, 103, 104, 105, 106, 107, 108, 109,
D29/110, 111, 112, 122; D24/110.1-110.4,
D24/191; 267/142-146; 2/410-414, 416,
2/422, 423, 424, 425, 15, 10, 9, 206, 427,
2/429, 5, 6, 3, 6.1, 6.5, 6.7, 7, 8.1-8.8, 431,
2/432; 128/857, 858, 201.24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,369,255	A *	2/1968	Bolle	2/9
3,380,073	A	4/1968	Seraphin		
D284,710	S	7/1986	Hatchman		
D299,766	S *	2/1989	Friedson	D29/122
4,852,185	A	8/1989	Olson		
4,853,974	A	8/1989	Olim		
4,884,296	A	12/1989	Nix, Jr.		
D306,363	S *	2/1990	Stackhouse et al.	D29/110
4,945,574	A *	8/1990	Dagher	2/9
D320,478	S *	10/1991	Metcalf	D29/110
D329,444	S	9/1992	Rauch		

D333,366	S *	2/1993	Brown	D29/109
D347,909	S *	6/1994	Gazzara et al.	D29/110
D349,362	S *	8/1994	Russell	D29/110
D354,588	S *	1/1995	Russell	D29/110
D354,589	S *	1/1995	Russell	D29/110
D361,127	S *	8/1995	Lonnstedt	D24/106
D361,160	S *	8/1995	Russell	D29/110
D362,086	S *	9/1995	Russell	D29/110
D375,583	S	11/1996	Landis		
D404,848	S *	1/1999	Banuchi	D29/110
D454,988	S *	3/2002	Simpson	D29/122

(Continued)

FOREIGN PATENT DOCUMENTS

EM 001175525-001 11/2009

(Continued)

OTHER PUBLICATIONS

US 5,238,703, 08/1993, Nordin et al. (withdrawn)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Eric D. Levinson

(57)

CLAIM

The ornamental design for a headgear, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of headgear showing our new design;

FIG. 2 is a right side view thereof, the left side view being a mirror image thereof;

FIG. 3 is a front view thereof;


FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

In the drawings, the broken lines in FIGS. 1-6 depict portions of the design that form no part of the claim.

1 Claim, 6 Drawing Sheets



US D658,333 S

Page 2

U.S. PATENT DOCUMENTS

D455,524 S * 4/2002 Simpson D29/122
6,375,865 B1 4/2002 Paulson
D458,713 S * 6/2002 Cheng D29/110
D481,832 S * 11/2003 Huh D29/110
D482,502 S * 11/2003 Huh D29/110
D518,605 S * 4/2006 Chen D29/108
D522,697 S * 6/2006 Chen D29/108
D539,485 S * 3/2007 Huh D29/110
D539,987 S 4/2007 Love
D541,991 S 5/2007 Lawrence

D557,461 S * 12/2007 Probst D29/108
D607,608 S * 1/2010 Taylor D29/109
D624,287 S * 9/2010 Shamchander D2/892
D640,422 S * 6/2011 Green et al. D29/122
2008/0184465 A1 8/2008 Chang

FOREIGN PATENT DOCUMENTS

EM 001175616-003 11/2009
GB 1034193 5/1986

* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6