



US00D658358S

(12) **United States Design Patent**  
**Polifroni**

(10) **Patent No.:** **US D658,358 S**

(45) **Date of Patent:** **\*\* May 1, 2012**

(54) **FOOT SUPPORT**

(75) **Inventor:** **Joseph Paul Polifroni**, Whangaparaoa (NZ)

(73) **Assignee:** **Foot Supports International Limited**, North Shore (NZ)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/357,631**

(22) **Filed:** **Mar. 15, 2010**

(30) **Foreign Application Priority Data**

Sep. 15, 2009 (NZ) ..... 412701

(51) **LOC (9) Cl.** ..... **02-04**

(52) **U.S. Cl.** ..... **D2/961**

(58) **Field of Classification Search** ..... D2/914,  
D2/946-962; 36/43, 44, 71, 88, 91-94, 100,  
36/101, 126, 136, 145, 154, 173  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,791,736	A *	12/1988	Phillips	.....	36/117.5
D329,129	S *	9/1992	Brown	.....	D2/961
D354,390	S *	1/1995	Howlett et al.	.....	D2/961
D391,749	S *	3/1998	Fisher et al.	.....	D2/961
D432,769	S *	10/2000	Yung et al.	.....	D2/961
D461,039	S	8/2002	Polifroni	.....	
D474,589	S *	5/2003	Dykes	.....	D2/961
D475,184	S *	6/2003	Polifroni	.....	D2/961
D485,425	S *	1/2004	Polifroni	.....	D2/961
6,681,501	B1 *	1/2004	Polifroni	.....	36/3 B
6,817,115	B2 *	11/2004	Polifroni	.....	36/91
6,854,199	B2 *	2/2005	Polifroni	.....	36/44

D513,358	S *	1/2006	Amado et al.	.....	D2/961
D552,838	S *	10/2007	Quinn	.....	D2/961
D564,742	S *	3/2008	Sharples	.....	D2/961
D582,641	S *	12/2008	Kielt et al.	.....	D2/961
D614,842	S *	5/2010	Vasyli	.....	D2/961
D615,742	S *	5/2010	Vasyli	.....	D2/961
D625,501	S *	10/2010	Lidtke	.....	D2/961
2003/0061735	A1	4/2003	Polifroni	.....	
2003/0061736	A1	4/2003	Polifroni	.....	
2003/0061739	A1	4/2003	Polifroni	.....	

\* cited by examiner

*Primary Examiner* — Stella Reid

*Assistant Examiner* — Keli L. Hill

(74) *Attorney, Agent, or Firm* — Young & Thompson



(57) **CLAIM**


The ornamental design for a foot support, as shown.

**DESCRIPTION**

FIG. 1 is a top plan view of a foot support showing my new design;  
 FIG. 2 is an edge view thereof from the bottom of FIG. 1;  
 FIG. 3 is an edge view thereof from the top of FIG. 1;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a top perspective view thereof;  
 FIG. 6 is an edge-wise view thereof from the left of FIG. 1;  
 FIG. 7 is an edge-wise view thereof from the right of FIG. 1;  
 FIG. 8 is a cross-sectional view thereof on the line 8-8 of FIG. 1;  
 FIG. 9 is a cross-sectional view thereof on the line 9-9 of FIG. 1;  
 FIG. 10 is a cross-sectional view thereof on the line 10-10 of FIG. 1; and,  
 FIG. 11 is a cross-sectional view thereof on the line 11-11 of FIG. 1.

**1 Claim, 4 Drawing Sheets**










Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7



