



US00D658363S

(12) **United States Design Patent**
Biddle

(10) **Patent No.:** **US D658,363 S**
(45) **Date of Patent:** **** May 1, 2012**

(54) **CASE**

(76) Inventor: **Solvej Dilys Biddle**, London (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/378,531**

(22) Filed: **Nov. 5, 2010**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/217**

(58) **Field of Classification Search** D3/214,
D3/215, 216, 217, 270, 273, 276, 289; D2/830;
224/153, 576, 577, 578

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,105,319	A *	1/1938	Hedden et al.	190/1
D270,586	S *	9/1983	Tatnall et al.	D3/217
4,961,522	A *	10/1990	Weber	224/585
5,165,111	A *	11/1992	Lieberman	2/94
D339,283	S *	9/1993	Barros	D8/333
D343,513	S *	1/1994	DiTizio	D3/217
D358,483	S *	5/1995	Cross et al.	D3/276
5,826,770	A *	10/1998	Chuang	224/607
5,887,777	A *	3/1999	Myles et al.	224/578
5,908,147	A *	6/1999	Chuang	224/607
5,950,893	A *	9/1999	Heggeland	224/578
6,134,712	A *	10/2000	Spector	2/94
6,161,738	A *	12/2000	Norris	224/153
6,305,587	B1 *	10/2001	Miller	224/153
6,393,613	B1 *	5/2002	Sheu	2/94
6,595,334	B1 *	7/2003	Saetia	190/18 A
D482,865	S *	12/2003	Fair	D3/267
D485,432	S *	1/2004	Desrochers	D3/216
D498,585	S *	11/2004	Darling	D3/216
D511,620	S *	11/2005	Van Himbeeck	D3/217
6,994,193	B2 *	2/2006	Saetia	190/18 A
D518,956	S *	4/2006	Van Himbeeck	D3/289
D529,717	S *	10/2006	Brancky	D3/285

(Continued)

Primary Examiner — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**

The ornamental design for a case, as shown and described.

DESCRIPTION

FIG. 1 is a right-side perspective view of a case in accordance with the new design, the case being in an open and extended configuration, an extendable part being shown in an unfolded position;

FIG. 2 is a left-side perspective view of the case in the configuration of FIG. 1;

FIG. 3 is a right-side perspective view of the case in an open and unextended configuration, the extendable part being folded over and a front wall being detached from two side walls;

FIG. 4 is a right-side perspective view of the case in an open and unextended configuration, the extendable part being folded over and the front wall being attached to the two side walls;

FIG. 5 is a right-side perspective view of the case in a closed configuration;

FIG. 6 is a left-side perspective view of the case in the configuration of FIG. 5;

FIG. 7 is a rear elevational view of the case in the configuration of FIG. 5;


FIG. 8 is a top elevational view of the case in the configuration of FIG. 5;

FIG. 9 is a bottom perspective view of the case in the configuration of FIG. 5, showing two bottom straps fastened together; and,

FIG. 10 is a bottom perspective view of the case in the configuration of FIG. 5, showing the two bottom straps unfastened.

The dashed or dotted lines in FIGS. 1-10 are shown for purposes of illustrating portions of the case that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D658,363 S

Page 2

U.S. PATENT DOCUMENTS				D647,302 S *	10/2011	Hoang	D3/289
D545,056 S *	6/2007	Leighton	D3/217	2007/0199966 A1 *	8/2007	Korchmar	224/578
D623,857 S *	9/2010	Austin	D3/289	2010/0006614 A1 *	1/2010	McLean et al.	224/577
D625,518 S *	10/2010	Edwards	D3/289	2011/0127304 A1 *	6/2011	Kam	224/153
D634,929 S *	3/2011	Bizzell	D3/276	* cited by examiner			




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10