



US00D658478S

(12) **United States Design Patent**
Wall

(10) **Patent No.:** **US D658,478 S**

(45) **Date of Patent:** **** May 1, 2012**

(54) **INSULATED GROMMET FOR END POST BUCKLES**

(75) Inventor: **John R. Wall**, Carmichaels, PA (US)

(73) Assignee: **John Wall, Inc.**, Carmichaels, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/363,510**

(22) Filed: **Jun. 10, 2010**

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/349; D8/354; D8/399**

(58) **Field of Classification Search** D8/349,
D8/354, 356, 382, 394, 397, 399; D23/260,
D23/269; 174/153 G; 16/2.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|------------------|-------|------------|
| 1,750,257 | A * | 3/1930 | Bonnell | | 285/154.3 |
| 2,039,009 | A * | 4/1936 | Lampman et al. | | 285/137.11 |
| 2,707,723 | A * | 5/1955 | Moorhead | | 174/153 G |
| 2,800,526 | A * | 7/1957 | Moorhead | | 174/153 G |
| D257,321 | S * | 10/1980 | Voorhees, Jr. | | D8/356 |
| 4,361,997 | A * | 12/1982 | DeCaro | | 52/512 |
| D278,594 | S * | 4/1985 | Lye | | D8/25 |
| D285,247 | S * | 8/1986 | Jornhagen | | D23/269 |
| 4,822,079 | A * | 4/1989 | Schulte | | 285/140.1 |
| D328,241 | S * | 7/1992 | Longstreet | | D8/383 |
| 5,388,311 | A * | 2/1995 | Solbeck | | 24/16 R |
| D360,820 | S * | 8/1995 | Haase | | D8/356 |
| D372,960 | S * | 8/1996 | Allmon et al. | | D23/260 |
| 5,975,820 | A * | 11/1999 | Kirchen | | 411/339 |
| 6,058,977 | A * | 5/2000 | Hotta | | 138/89 |
| D427,549 | S * | 7/2000 | White | | D12/114 |
| D435,090 | S * | 12/2000 | Stout, Jr. | | D23/269 |
| D437,034 | S * | 1/2001 | Stout, Jr. | | D23/269 |
| D458,350 | S * | 6/2002 | Wagner et al. | | D23/260 |
| 6,467,607 | B1 * | 10/2002 | Daugy et al. | | 198/380 |
| 6,484,370 | B2 * | 11/2002 | Kanie et al. | | 24/297 |
| D482,270 | S * | 11/2003 | Derilo | | D8/397 |
| 6,898,822 | B2 * | 5/2005 | Nordquist et al. | | 16/2.1 |

| | | | | | |
|--------------|------|---------|-----------------|-------|-----------|
| D539,117 | S * | 3/2007 | Sealey et al. | | D8/349 |
| D570,966 | S * | 6/2008 | Gilligan | | D23/260 |
| D576,480 | S * | 9/2008 | Vakiener et al. | | D8/397 |
| D627,490 | S * | 11/2010 | Janish et al. | | D25/199 |
| D639,657 | S * | 6/2011 | Hoyt et al. | | D9/439 |
| D644,921 | S * | 9/2011 | Hsu et al. | | D8/399 |
| 2004/0060723 | A1 * | 4/2004 | Pallapothu | | 174/65 G |
| 2004/0084099 | A1 * | 5/2004 | Miura | | 138/89 |
| 2005/0087229 | A1 * | 4/2005 | Uleski | | 137/223 |
| 2006/0005363 | A1 * | 1/2006 | Reiter | | 24/459 |
| 2010/0147902 | A1 * | 6/2010 | De Schrijver | | 222/544 |
| 2011/0049834 | A1 * | 3/2011 | Natu | | 280/279 |
| 2011/0247295 | A1 * | 10/2011 | Stearns et al. | | 52/745.21 |

OTHER PUBLICATIONS

Prior Art Insulated Grommet.

* cited by examiner

Primary Examiner — Jeffrey D Asch

(74) *Attorney, Agent, or Firm* — The Webb Law Firm, PC



(57) **CLAIM**

The ornamental design for an insulated grommet for end post buckles, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an insulated grommet for end post buckles showing my new design;
 FIG. 2 is a top perspective view thereof;
 FIG. 3 is a bottom perspective view thereof;
 FIG. 4 is a top view thereof;
 FIG. 5 is a bottom view thereof;
 FIG. 6 is a front side view thereof, the front side view being identical to the side view from any other direction;
 FIG. 7 is a top perspective view thereof, the grommet being secured to a first attaching buckle; and,
 FIG. 8 is a side perspective view thereof, the grommet being secured to a second attaching buckle.
 The attaching buckles shown in broken lines in FIGS. 7 and 8 are included for environmental purposes only, and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8