



US00D658616S

(12) **United States Design Patent**
Van Der Flier et al.

(10) **Patent No.:** **US D658,616 S**
(45) **Date of Patent:** **** May 1, 2012**

(54) **INTEGRATED MULTI-CLIENT COMMUNICATIONS SYSTEM**

(75) Inventors: **Astrid Jantina Van Der Flier**, San Francisco, CA (US); **Elger Oberwelz**, San Francisco, CA (US); **Afshin Frederick Mehin**, San Francisco, CA (US); **Peter Riering-Czekalla**, Oakland, CA (US); **Michael Gibson**, Evergreen, CO (US); **Richard Cerami**, Denver, CO (US)

(73) Assignee: **Qwest Communications International Inc**, Denver, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/361,052**

(22) Filed: **May 4, 2010**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/130**

(58) **Field of Classification Search** D14/125–130, D14/140–142, 147–151, 158–159, 171, 188, D14/225–226, 240, 243, 247, 251, 253, 346, D14/349, 356, 358, 434, 436, 138 G, 341, D14/343; 379/88.17, 90.01, 93.17, 387.01, 379/388.02, 419–420.04, 428.01–428.04, 379/434–436, 440, 446–447, 454–455; 381/16, 381/71.1; D13/107–108; 191/12.2 R; 320/108, 320/110, 113–115; 455/411, 550.1–90.3; 348/14.01–14.06; D19/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D457,870	S	*	5/2002	Toyoshima et al.	D14/150
D463,780	S	*	10/2002	Hung	D14/130
D585,397	S	*	1/2009	Hwang	D14/130
D615,066	S	*	5/2010	Huang et al.	D14/142
D615,527	S	*	5/2010	Hwang	D14/203.8
D630,602	S	*	1/2011	Sheppard et al.	D14/130
D636,769	S	*	4/2011	Wood et al.	D14/341
D638,817	S	*	5/2011	Fleming et al.	D14/145
D639,266	S	*	6/2011	DeLorenzo et al.	D14/142
D639,268	S	*	6/2011	DeLorenzo et al.	D14/142
D643,825	S	*	8/2011	Hwang	D14/130

* cited by examiner

Primary Examiner — Raphael Barkai
Assistant Examiner — Randall Gholson

(57) **CLAIM**

The ornamental design for the integrated multi-client communications system, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a first embodiment of an integrated multi-client communications system, including a tablet component, a handheld component, and a base station component, showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a first side elevational view thereof; FIG. 5 is a second side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

According to FIGS. 1-7, the integrated multi-client communications system is illustrated in a configuration in which the tablet component and the handheld component are physically coupled with the base station component. It is also contemplated that the tablet component and/or the handheld component are portable devices and may, therefore, be decoupled from the base station component. As such, the integrated multi-client communications system may take other forms during its storage, transportation, and use.

For example, in one embodiment, the integrated multi-client communications system is in a configuration in which the tablet component and/or the handheld component is physically removed from the other components of the system. In another embodiment, the tablet component and/or the handheld component is connected via a wire or other means, which is not shown in the Figures and is not part of the claimed design.

It is Applicants' intention that the claims not be limited to any particular configuration of the integrated multi-client communications system.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7