

US00D659034S

(12) **United States Design Patent**
Bailey et al.

(10) **Patent No.:** **US D659,034 S**

(45) **Date of Patent:** **** May 8, 2012**

(54) **DISPLAY FOR A MEASUREMENT DEVICE**

(75) Inventors: **Brent Bailey**, Winter Springs, FL (US);
Marc M. Barber, Deltona, FL (US);
Clark H. Briggs, DeLand, FL (US)

(73) Assignee: **Faro Technologies, Inc.**, Lake Mary, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/379,175**

(22) Filed: **Nov. 16, 2010**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/63; D15/199**

(58) **Field of Classification Search** D10/63;
D15/199; 33/503–505, 558, 502, 561;
74/491.01–490.15; 319/560; 700/245, 262,
700/195, 80; 702/150–156, 94, 95, 167–169
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,768,792 A 6/1998 Raab
(Continued)

FOREIGN PATENT DOCUMENTS

EP 2068067 6/2009
(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

We claim, the ornamental design for a display for a measurement device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the invention;

FIG. 2 is a front plan view of the embodiment of FIG. 1;

FIG. 3 is a rear plan view of the embodiment of FIG. 1;

FIG. 4 is a first side plan view of the embodiment of FIG. 1;

FIG. 5 is a second side plan view of the embodiment of FIG. 1;

FIG. 6 is a top plan view of the embodiment of FIG. 1;

FIG. 7 is a bottom plan view of the embodiment of FIG. 1;

FIG. 8 is a perspective view of a second embodiment of the invention;

FIG. 9 is a front plan view of the embodiment of FIG. 8;

FIG. 10 is a rear plan view of the embodiment of FIG. 8;

FIG. 11 is a first side plan view of the embodiment of FIG. 8;

FIG. 12 is a second side plan view of the embodiment of FIG. 8;

FIG. 13 is a top plan view of the embodiment of FIG. 8;

FIG. 14 is a bottom plan view of the embodiment of FIG. 8;

FIG. 15 is a perspective view of a third embodiment of the invention;

FIG. 16 is a front plan view of the embodiment of FIG. 15, the rear plan view being the same as FIG. 10;

FIG. 17 is a first side plan view of the embodiment of FIG. 15;

FIG. 18 is a second side plan view of the embodiment of FIG. 15;

FIG. 19 is a top plan view of the embodiment of FIG. 15; and,

FIG. 20 is a bottom plan view of the embodiment of FIG. 15.

The dash-dot lines shown in FIG. 1-FIG. 2, and FIG. 6 indicate a screen having an indefinite size, the display for a measurement device according to the claimed design may have any size screen.


The phantom lines shown in FIG. 1-FIG. 20 are environmental and not part of the claimed design.

The color and shading of the display for a measurement device forms no part of the claimed design, the display for a measurement device according to the claimed design may be any color or combination of colors.

The surface treatment of the display for a measurement device forms no part of the claimed design, the display for a measurement device of the claimed design may have any surface treatment.

References to “side”, “top”, “front”, “rear” and “bottom” in the figure descriptions are not meant to require certain in-use orientation; a display for a measurement device according to the claimed design may be used in any orientation.

1 Claim, 20 Drawing Sheets



US D659,034 S

Page 2

U.S. PATENT DOCUMENTS

5,926,782 A 7/1999 Raab
5,978,748 A 11/1999 Raab
D423,534 S 4/2000 Raab et al.
6,131,299 A 10/2000 Raab et al.
6,151,789 A 11/2000 Raab et al.
D441,632 S 5/2001 Raab et al.
6,253,458 B1 7/2001 Raab et al.
D472,824 S 4/2003 Raab et al.
D491,210 S 6/2004 Raab et al.
7,024,032 B2 4/2006 Kidd et al.
7,525,276 B2 4/2009 Eaton
D599,226 S 9/2009 Gerent et al.
7,624,510 B2 12/2009 Ferrari
D607,350 S 1/2010 Cooduvalli et al.
7,693,325 B2 4/2010 Pulla et al.
7,743,524 B2 6/2010 Eaton et al.

7,779,548 B2 8/2010 Ferrari
7,779,553 B2 8/2010 Jordil et al.
2006/0291970 A1 12/2006 Granger
2008/0052936 A1 3/2008 Briggs et al.
2008/0148585 A1 6/2008 Raab et al.
2009/0083985 A1 4/2009 Ferrari
2009/0249634 A1 10/2009 Pettersson
2010/0095542 A1 4/2010 Ferrari
2010/0208062 A1 8/2010 Pettersson
2010/0250175 A1* 9/2010 Briggs et al. 702/91
2010/0325907 A1 12/2010 Tait
2011/0173829 A1* 7/2011 Pettersson 33/503

FOREIGN PATENT DOCUMENTS

EP 2068114 6/2009
WO 2009130169 10/2009

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20