



US00D659080S

(12) **United States Design Patent**
Pons et al.

(10) **Patent No.:** **US D659,080 S**
(45) **Date of Patent:** **** May 8, 2012**

(54) **TIRE**

(75) Inventors: **Frederic Michel-Jean Pons**, Thionville (FR); **Sebastien Willy Fontaine**, Vichten (LU); **Patrick Paul Deblaize**, Mamer (LU)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/407,249**

(22) Filed: **Nov. 25, 2011**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/564**

(58) **Field of Classification Search** D12/533,
D12/544–567, 599–603, 900–901;
152/209.1–209.28, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D360,864 S *	8/1995	Munster et al.		D12/558
D362,420 S	9/1995	Heinen et al.		D12/147
D384,014 S *	9/1997	Ratliff, Jr.		D12/563
D387,714 S	12/1997	Heinen		D12/147
D419,117 S *	1/2000	Ratliff, Jr.		D12/564
D429,194 S	8/2000	Heinen et al.		D12/147
D429,478 S	8/2000	Heinen et al.		D12/147
D441,695 S	5/2001	Heinen et al.		D12/147
D448,721 S *	10/2001	Ochi		D12/564
D451,068 S	11/2001	Heinen et al.		D12/547
D452,198 S	12/2001	Heinen et al.		D12/146
D459,292 S *	6/2002	Hoover et al.		D12/554
D471,509 S *	3/2003	Graas		D12/545
D486,443 S *	2/2004	Maxwell		D12/563
D504,106 S	4/2005	de Briey-Terlinden et al.		D12/553
D504,866 S	5/2005	Collette et al.		D12/553
D513,227 S *	12/2005	Graas		D12/564
D513,401 S *	1/2006	Maxwell et al.		D12/563

D516,011 S *	2/2006	Shondel et al.		D12/566
D531,955 S	11/2006	Fontaine et al.		D12/588
D533,131 S	12/2006	Fontaine et al.		D12/588
D533,132 S	12/2006	Fontaine et al.		D12/588
D549,159 S *	8/2007	Shondel		D12/563
D556,121 S *	11/2007	Shondel		D12/563
D556,670 S	12/2007	Fontaine et al.		D12/553
D575,726 S	8/2008	Fontaine et al.		D12/564
D577,659 S *	9/2008	Maxwell		D12/563
D586,728 S	2/2009	Heinen et al.		D12/547
D589,874 S	4/2009	Fontaine et al.		D12/564

(Continued)

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;



FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;

FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is a mirror image thereof; and, FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the studs, sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS							
D591,221 S	4/2009	Fontaine et al.	D12/563	D597,476 S	8/2009	de Briey-Terlinden	D12/553
D591,672 S	5/2009	de Briey-Terlinden		D600,195 S	9/2009	Fontaine et al.	D12/564
		et al.	D12/553	D601,946 S	10/2009	Fontaine et al.	D12/553
D592,588 S	5/2009	Heinen et al.	D12/564	D622,657 S	8/2010	Leocadio et al.	D12/553
D595,639 S	7/2009	de Briey-Terlinden	D12/553	D632,243 S *	2/2011	Salvan et al.	D12/564
D595,640 S	7/2009	de Briey-Terlinden	D12/564	D638,779 S *	5/2011	Salvan et al.	D12/564
D596,109 S	7/2009	de Briey-Terlinden	D12/553	D640,966 S	7/2011	Fontaine et al.	D12/563
D597,475 S	8/2009	Heinen et al.	D12/553	* cited by examiner			




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6