



US00D659119S

(12) **United States Design Patent**  
**Brunner et al.**

(10) **Patent No.:** **US D659,119 S**  
(45) **Date of Patent:** **\*\* May 8, 2012**

(54) **AUDIO SPEAKER SYSTEM**

(75) Inventors: **Robert Brunner**, San Francisco, CA (US); **Kenny Sweet**, San Francisco, CA (US)

(73) Assignee: **Beats Electronics, LLC**, Santa Monica, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/375,862**

(22) Filed: **Sep. 28, 2010**

(51) **LOC (9) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/209.1**

(58) **Field of Classification Search** ..... D14/168,  
D14/204, 209.1, 210-216, 171, 172, 496;  
181/143-144, 147-148, 150-153, 157, 198-199;  
381/300-303, 306, 332-333, 336, 345, 361-364,  
381/386-388

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D556,732 S *	12/2007	Chan et al.	.....	D14/168
D572,702 S *	7/2008	Bart	.....	D14/171
D583,360 S *	12/2008	Gredler	.....	D10/2
D587,675 S *	3/2009	Xie	.....	D14/172
D600,251 S *	9/2009	Poandl	.....	D14/496
7,689,197 B2 *	3/2010	Laude et al.	.....	455/344

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/375,862, filed Sep. 28, 2011.

\* cited by examiner

*Primary Examiner* — Nanda Bondade

(74) *Attorney, Agent, or Firm* — Michael G. Kelber; Neal, Gerber & Eisenberg LLP

(57) **CLAIM**


The ornamental design for the audio speaker system, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of an audio speaker system, in accordance with the present invention; FIG. 2 is top view of the embodiment of the audio speaker system depicted in FIG. 1; FIG. 3 is a bottom view the of the embodiment of the audio speaker system depicted in FIG. 1; FIG. 4 is a back view of the embodiment of the audio speaker system depicted in FIG. 1; FIG. 5 is a front view of the embodiment of the audio speaker system depicted in FIG. 1; FIG. 6 is right side view of the embodiment of the audio speaker system depicted in FIG. 1; FIG. 7 is a left side view of the embodiment of the audio speaker system depicted in FIG. 1; FIG. 8 is perspective view of a second embodiment of an audio speaker system, in accordance with the present invention; FIG. 9 is a top view of the embodiment of the audio speaker system depicted in FIG. 8; FIG. 10 is a bottom view of the embodiment of the audio speaker system depicted in FIG. 8; FIG. 11 is a back view of the embodiment of the audio speaker system depicted in FIG. 8; FIG. 12 is a front view of the embodiment of the audio speaker system depicted in FIG. 8; FIG. 13 is a right side view of the embodiment of the audio speaker system depicted in FIG. 8; and FIG. 14 is a left side view of the embodiment of the audio speaker system depicted in FIG. 8.

The broken lines showing the environment in the Figures are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**








FIG.1






FIG. 2




FIG. 3




FIG. 4






FIG. 5






FIG. 7




FIG. 6




FIG. 8






FIG. 9






FIG. 10






FIG. 11






FIG. 12






FIG. 14




FIG. 13