

(12) United States Design Patent (10) Patent No.: US D659,166 S Koyama et al. (45) Date of Patent: ** May 8, 2012

(54) **ROTATION PUMP**

(75) Inventors: Hideki Koyama, Okazaki (JP); Kenzou
 Kiyose, Takahama (JP); Rihito Asai,
 Kariya (JP)

(73) Assignee: **Denso Corporation**, Kariya (JP)

(**) Term: **14 Years**

(56)

FOREIGN PATENT DOCUMENTS

JP 2009-222055 10/2009

Primary Examiner — Ralf Seifert
(74) Attorney, Agent, or Firm — Nixon & Vanderhye PC

(57) **CLAIM** The design for a rotation pump, as shown and described.

(21) Appl. No.: **29/371,911**

(22) Filed: Jan. 18, 2012

Related U.S. Application Data

(62) Division of application No. 29/385,557, filed on Feb.16, 2011, now Pat. No. Des. 655,312.

(30) Foreign Application Priority Data

- Sep. 8, 2010
 (JP)
 2010-21702

 Sep. 8, 2010
 (JP)
 2010-21703

 Sep. 8, 2010
 (JP)
 2010-21704

 (51)
 LOC (9) Cl.
 15-02

 (52)
 U.S. Cl.
 D15/7

See application file for complete search history.

References Cited

DESCRIPTION

FIG. 1 is a front perspective view of a rotation pump of a new design;

FIG. 2 is a rear perspective view of the rotation pump shown in FIG. 1.

FIG. 3 is a front view of the rotation pump shown in FIG. 1;FIG. 4 is a back view of the rotation pump shown in FIG. 1;FIG. 5 is a left side view of the rotation pump shown in FIG. 1;

FIG. **6** is a right side view of the rotation pump shown in FIG. **1**;

FIG. **7** is a top view of the rotation pump shown in FIG. **1**; and, FIG. **8** is a bottom view of the rotation pump shown in FIG. **1**. The broken lines in FIGS. **7** and **8** are included for the purpose of illustrating portions of the rotation pump that form no part of the claimed design.

The article of the present design relates to a rotation pump for supplying fuel to an internal combustion engine or the like. The rotation pump includes a motor, and an impeller driven and rotated by the motor, and a cylindrical body that houses therein the motor and the impeller. A connector and a cylindrical discharge tube are formed at one end of the body, and a cylindrical intake tube is formed at the other end of the body. When electrical power is supplied to the rotation pump via the connector, the motor is activated so that fuel is drawn from the intake tube and is discharged from the discharge tube.

U.S. PATENT DOCUMENTS

D194,250 S	*	12/1962	Lung	D15/7			
D227,934 S	*	7/1973	Campbell et al	D15/7			
D237,011 S	*	9/1975	Stroberg et al.	D15/7			
D242,651 S	*	12/1976	Arakawa	D15/7			
D268,412 S	*	3/1983	Davis et al.	D15/7			
(Continued)							

1 Claim, 4 Drawing Sheets



US D659,166 S Page 2

U.S. P	ATENT	DOCUMENTS		
D395,317 S *	6/1998	Karlsson et al.	D15/7	
D443,881 S *	6/2001	Tsai	D15/7	
D498,480 S *	11/2004	Tsai	D15/7	* c

D520,026 S	5/2006	Hulks
D540,350 S	4/2007	Hulks
D558,233 S	12/2007	Itani

cited by examiner

U.S. Patent May 8, 2012 Sheet 1 of 4 US D659,166 S



FIG. 2





U.S. Patent May 8, 2012 Sheet 2 of 4 US D659,166 S











U.S. Patent May 8, 2012 Sheet 3 of 4 US D659, 166 S





FIG. 5





U.S. Patent May 8, 2012 Sheet 4 of 4 US D659,166 S



FIG. 7



FIG. 8