



US00D659516S

(12) **United States Design Patent**
Schoen et al.

(10) **Patent No.:** **US D659,516 S**
(45) **Date of Patent:** **** May 15, 2012**

- (54) **ELASTIC TIE DOWN DEVICE**
- (76) Inventors: **Vulgens Schoen**, Washington, NJ (US);
Jeffrey Dershem, Zionsville, PA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/368,822**
- (22) Filed: **Aug. 30, 2010**
- (51) **LOC (9) Cl.** **08-05**
- (52) **U.S. Cl.** **D8/355; D8/367**
- (58) **Field of Classification Search** D8/37,
D8/382, 354, 356, 363, 367, 355; 40/642.01;
211/59.1, 70.6; 294/82.17, 82.19; 24/16 PB,
24/68 CD, 68 R, 129 D, 376, 300, 301, 302;
248/74.3, 220.41, 220.43, 222.12, 304, 289
See application file for complete search history.

D561,007	S *	2/2008	Kaesler	D8/354
7,343,648	B2	3/2008	Shaw		
D573,875	S *	7/2008	Anderson	D8/367
7,454,818	B1 *	11/2008	Backman, III	24/300
7,571,521	B1 *	8/2009	Backman, III	24/300
7,575,224	B1	8/2009	Madland		
D605,027	S *	12/2009	Leung	D8/367
D615,385	S *	5/2010	Arendt	D8/349
D624,391	S *	9/2010	Arendt et al.	D8/349
D639,356	S *	6/2011	Kassel	D21/662
D643,886	S *	8/2011	Kassel	D21/662
D644,700	S *	9/2011	Kassel	D21/662
D651,065	S *	12/2011	Gelmetti	D8/354
2006/0085956	A1	4/2006	Stevens		
2009/0223024	A1	9/2009	Bauer		
2010/0011543	A1 *	1/2010	Wang	24/300

* cited by examiner

Primary Examiner — Mark Goodwin
(74) *Attorney, Agent, or Firm* — Doherty & Charney LLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,519,854	A	12/1924	Lockwood		
2,539,997	A	1/1951	Graves		
3,525,128	A *	8/1970	Laszlo	24/16 PB
D289,698	S *	5/1987	Bates	D30/142
4,885,824	A	12/1989	Schwab		
5,402,557	A	4/1995	Dalen		
5,623,750	A	4/1997	Nasin		
6,049,950	A	4/2000	Cavallo		
D440,144	S *	4/2001	Todd	D8/354
D480,946	S *	10/2003	Estep, Jr.	D8/367
6,637,077	B2	10/2003	Doty		
D489,246	S *	5/2004	Bolieu	D8/367
6,755,383	B2 *	6/2004	Davis	248/508
6,851,163	B2	2/2005	Selby		
D525,861	S *	8/2006	Mackey et al.	D8/367
D537,708	S *	3/2007	Leung	D8/395
D551,541	S *	9/2007	Kuo	D8/367

(57) **CLAIM**
The ornamental design for an elastic tie down device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an elastic tie down device, showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof; and,
FIG. 6 is a bottom view thereof.
The broken line showing of a pair of hooks is included for the purpose of illustrating a portion of an elastic tie down device and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

