



US00D659516S

(12) **United States Design Patent**
Schoen et al.

(10) **Patent No.:** **US D659,516 S**
(45) **Date of Patent:** **** May 15, 2012**

(54) **ELASTIC TIE DOWN DEVICE**
(76) Inventors: **Vulgens Schoen**, Washington, NJ (US);
Jeffrey Dershem, Zionsville, PA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/368,822**
(22) Filed: **Aug. 30, 2010**
(51) **LOC (9) Cl.** **08-05**
(52) **U.S. Cl.** **D8/355; D8/367**
(58) **Field of Classification Search** D8/37,
D8/382, 354, 356, 363, 367, 355; 40/642.01;
211/59.1, 70.6; 294/82.17, 82.19; 24/16 PB,
24/68 CD, 68 R, 129 D, 376, 300, 301, 302;
248/74.3, 220.41, 220.43, 222.12, 304, 289
See application file for complete search history.

D561,007 S * 2/2008 Kaesler D8/354
7,343,648 B2 3/2008 Shaw
D573,875 S * 7/2008 Anderson D8/367
7,454,818 B1 * 11/2008 Backman, III 24/300
7,571,521 B1 * 8/2009 Backman, III 24/300
7,575,224 B1 8/2009 Madland
D605,027 S * 12/2009 Leung D8/367
D615,385 S * 5/2010 Arendt D8/349
D624,391 S * 9/2010 Arendt et al. D8/349
D639,356 S * 6/2011 Kassel D21/662
D643,886 S * 8/2011 Kassel D21/662
D644,700 S * 9/2011 Kassel D21/662
D651,065 S * 12/2011 Gelmetti D8/354
2006/0085956 A1 4/2006 Stevens
2009/0223024 A1 9/2009 Bauer
2010/0011543 A1* 1/2010 Wang 24/300

* cited by examiner

Primary Examiner — Mark Goodwin
(74) *Attorney, Agent, or Firm* — Doherty & Charney LLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,519,854 A 12/1924 Lockwood
2,539,997 A 1/1951 Graves
3,525,128 A * 8/1970 Laszlo 24/16 PB
D289,698 S * 5/1987 Bates D30/142
4,885,824 A 12/1989 Schwab
5,402,557 A 4/1995 Dalen
5,623,750 A 4/1997 Nasin
6,049,950 A 4/2000 Cavallo
D440,144 S * 4/2001 Todd D8/354
D480,946 S * 10/2003 Estep, Jr. D8/367
6,637,077 B2 10/2003 Doty
D489,246 S * 5/2004 Bolieu D8/367
6,755,383 B2 * 6/2004 Davis 248/508
6,851,163 B2 2/2005 Selby
D525,861 S * 8/2006 Mackey et al. D8/367
D537,708 S * 3/2007 Leung D8/395
D551,541 S * 9/2007 Kuo D8/367

(57) **CLAIM**

The ornamental design for an elastic tie down device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an elastic tie down device, showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof; and,
FIG. 6 is a bottom view thereof.
The broken line showing of a pair of hooks is included for the purpose of illustrating a portion of an elastic tie down device and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

