



US00D659518S

(12) **United States Design Patent**
Xu

(10) **Patent No.:** **US D659,518 S**

(45) **Date of Patent:** **** May 15, 2012**

(54) **CARABINER WITH THREADED LOCK AND SWIVELING STRAP ATTACHMENT**

D649,862 S * 12/2011 Arvinte et al. D8/339
2006/0179784 A1 * 8/2006 Chen 52/698
2006/0180728 A1 * 8/2006 Abrantes 248/328

* cited by examiner

(76) Inventor: **Ye Xu**, Bellaire, TX (US)

(**) Term: **14 Years**

Primary Examiner — Cynthia Underwood

(21) Appl. No.: **29/374,743**

(74) *Attorney, Agent, or Firm* — Benjamin Aaron Adler

(22) Filed: **Sep. 29, 2011**

(57) **CLAIM**

(51) **LOC (9) Cl.** **08-05**

The ornamental design for a carabiner with threaded lock and swiveling strap attachment, as shown and described.

(52) **U.S. Cl.** **D8/356; D8/367**

(58) **Field of Classification Search** D8/367,
D8/371, 373, 354, 349, 355, 356; D6/323;
248/215, 301, 339; 160/349.1, 349.2; 24/265 H,
24/265 R, 599.1, 599.8, 113 R, 573.5; 294/82.18;
29/525.1, 45.3; D3/24; 223/106
See application file for complete search history.

DESCRIPTION


FIG. 1 is a front and top perspective view of the carabiner with threaded lock and swiveling strap attachment shown in a locked position of use showing my new design; FIG. 2 is a front and top perspective view of the carabiner with threaded lock and swiveling strap attachment shown in an open position of use; FIG. 3 is a rear and top perspective of the carabiner with threaded lock and swiveling strap attachment shown in a locked position of use showing my new design; FIG. 4 is a rear and top perspective view of the carabiner with threaded lock and swiveling strap attachment shown in a locked position of use showing my new design; and, FIG. 5 is a front, top and left side perspective view of the carabiner with threaded lock and swiveling strap attachment shown in a locked position and shown in use with the upper portion swiveled at a 90 degree angle to the lower portion; the right side view of the upper portion being a mirror image of the left.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D337,935	S	*	8/1993	Hawley	D8/367
5,274,887	A	*	1/1994	Fudaki	24/265 H
D355,585	S	*	2/1995	Terada et al.	D8/367
5,450,661	A	*	9/1995	Rekuc	24/599.6
5,671,514	A	*	9/1997	Matoba et al.	24/601.2
D402,189	S	*	12/1998	Izumi	D8/382
5,878,834	A	*	3/1999	Brainerd et al.	182/3
6,317,940	B1	*	11/2001	Matoba et al.	24/600.9
6,550,413	B2	*	4/2003	Fiorentino et al.	114/311
6,694,574	B1	*	2/2004	Sheng	24/265 H
D491,049	S	*	6/2004	Kung	D8/367
D500,244	S	*	12/2004	Yoshiguchi	D8/367
D579,763	S	*	11/2008	Uehara et al.	D8/367
D631,331	S	*	1/2011	Kelleghan	D8/356
D649,018	S	*	11/2011	Kope	D8/367
D649,024	S	*	11/2011	Takazakura	D8/367

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5