



US00D659534S

(12) **United States Design Patent**  
**Taylor et al.**

(10) **Patent No.:** **US D659,534 S**

(45) **Date of Patent:** **\*\* May 15, 2012**

(54) **DUAL ARM BOTTLE ACTUATOR**

(75) Inventors: **Curtis P. Taylor**, Chagrin Falls, OH  
(US); **Jonathon Erbacher**, Minneapolis,  
MN (US)

(73) Assignee: **Gebauer Company**, Cleveland, OH  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/369,991**

(22) Filed: **Sep. 16, 2010**

(51) **LOC (9) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/448; D9/443**

(58) **Field of Classification Search** ..... D9/692,  
D9/685, 682, 669, 667, 631, 451, 450, 448,  
D9/434, 432, 430, 414; D23/226, 225; 239/526,  
239/492, 333, 112; 222/402.15, 402.13,  
222/383.1, 334, 331, 321.8, 182  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,313,930	A	3/1943	Gebauer	
2,378,451	A	6/1945	Vensel	
2,400,231	A	5/1946	Gebauer et al.	
2,606,070	A	8/1952	Vensel	
2,606,071	A	8/1952	Vensel	
2,995,308	A	8/1961	Ashkenaz	
3,170,606	A	2/1965	Boyer	
D272,081	S *	1/1984	Suhajda et al.	..... D23/226

5,027,986	A	7/1991	Heinzel et al.	
D404,294	S	1/1999	De Baschmakoff	
D445,670	S	7/2001	DeBaschmakoff	
D524,639	S	7/2006	Paas et al.	
D536,970	S	2/2007	Shannan et al.	
2007/0119870	A1 *	5/2007	Lasserre et al.	..... 222/321.8
2007/0290006	A1	12/2007	Lott et al.	
2008/0017673	A1	1/2008	Copps	
2011/0079617	A1 *	4/2011	Quarles et al.	..... 222/402.15

\* cited by examiner

*Primary Examiner* — Susan Bennett Hattan

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

The ornamental design for a dual arm bottle actuator, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a dual arm bottle actuator showing our new design in the unlocked and closed position; FIG. 2 is a right side elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a rear elevational view thereof; and, FIG. 7 is a perspective view of the dual arm bottle actuator shown in FIG. 1 showing our new design in the locked and closed position.

The dotted-line showing in the drawings illustrates environmental matter and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1





FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6

FIG. 7

