



US00D659895S

(12) **United States Design Patent**
Maxik et al.

(10) **Patent No.:** **US D659,895 S**

(45) **Date of Patent:** **** May 15, 2012**

(54) **LIGHT REFLECTOR**

(75) Inventors: **Fredric S. Maxik**, Indialantic, FL (US);
Robert R. Soler, Cocoa Beach, FL (US);
James Lynn Schellack, Cocoa Beach,
FL (US); **Mark Andrew Oostdyk**, Cape
Canaveral, FL (US); **David E. Bartine**,
Cocoa, FL (US)

(73) Assignee: **Lighting Science Group Corporation**,
Satellite Beach, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/391,913**

(22) Filed: **May 13, 2011**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/118**

(58) **Field of Classification Search** D26/38,
D26/36, 46, 73, 76, 81, 84, 88, 118, 138,
D26/120, 13, 154, 155, 145, 86, 87, 85, 142,
D26/61, 24, 93, 92, 153, 91, 74, 121, 122,
D26/71, 110, 105, 111, 131, 83, 80, 1, 2,
D26/3, 4, 5, 26, 89, 123, 125, 128, 63, 62,
D26/64, 65, 41, 69, 139, 152, 150, 151, 141,
D26/143, 144, 51, 140; 362/269, 648, 238,
362/111, 105, 86, 373, 294, 362, 297, 346,
362/341, 356, 352, 433, 404, 235, 240, 249.01–249.11,
362/321, 287, 374, 427, 190, 281, 324, 272,
362/244, 555, 147, 348, 263, 350; D10/11,
D10/114.1; D22/108; 42/146, 117, 114,
42/115, 116, 142, 1.01; 439/110; 403/92,
403/97; 285/69, 78, 65; 257/89; D16/221;
D13/110, 133, 134, 179, 180, 182; 160/332;
D11/90, 89, 121, 125, 131; D25/119, 124,
D25/125, 138; D23/386; D8/373, 354, 349,
D8/389, 382, 363, 356, 377

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D174,221	S	*	3/1955	Hatch et al.	D26/128
D191,762	S	*	11/1961	Rothman	D26/76
3,692,399	A	*	9/1972	Stewart	353/27 R
D277,892	S	*	3/1985	Reding	D26/24
D380,850	S	*	7/1997	Bray	D26/87
D390,992	S	*	2/1998	Shemitz	D26/63
D399,862	S	*	10/1998	Baliozian	D16/219

(Continued)

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Mark R. Malek, Esq.; Zies
Widerman & Malek

(57) **CLAIM**

The ornamental design for a light reflector, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a light reflector according to
the present invention.

FIG. 2 is a front elevation view of the light reflector illustrated
in FIG. 1

FIG. 3 is a rear elevation view of the light reflector illustrated
in FIG. 1 wherein the broken lines illustrate unclaimed por-
tions of the light reflector and form no part of the claimed
design.


FIG. 4 is a right side elevation view of the light reflector
illustrated in FIG. 1.

FIG. 5 is a left side elevation view of the light reflector
illustrated in FIG. 1.

FIG. 6 is a top plan view of the light reflector illustrated in
FIG. 1 wherein the broken lines illustrate unclaimed portions
of the light reflector and form no part of the claimed design;
and,

FIG. 7 is a bottom plan view of the light reflector illustrated in
FIG. 1 wherein the broken lines illustrate unclaimed portions
of the light reflector and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D659,895 S

Page 2

U.S. PATENT DOCUMENTS

D422,107	S *	3/2000	Meier	D26/87	D577,146	S *	9/2008	Haugaard et al.	D26/118
D440,683	S *	4/2001	Guercio	D26/85	D591,440	S *	4/2009	Maxik et al.	D26/72
D444,258	S *	6/2001	Bradford et al.	D26/87	D612,975	S *	3/2010	Guercio et al.	D26/85
6,422,709	B1 *	7/2002	Panagiotou	362/16	D629,548	S *	12/2010	Cai	D26/63
D570,037	S *	5/2008	Hartman	D26/138	2004/0037068	A1 *	2/2004	Patterson et al.	362/147

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7