



US00D659898S

(12) **United States Design Patent**
Aaskov et al.

(10) **Patent No.:** **US D659,898 S**
(45) **Date of Patent:** **** May 15, 2012**

(54) **LIGHT HEAD FOR RAIL-MOUNTED LIGHT**

(75) Inventors: **Michael Aaskov**, Hampton Falls, NH
(US); **Kyle Walters**, Cambridge, MA
(US)

(73) Assignee: **Princeton Tectonics, Inc.**, Bordentown,
NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/383,388**

(22) Filed: **Jan. 17, 2011**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/128**

(58) **Field of Classification Search** 40/617,
40/553, 592; D16/101; D13/179, 180; D9/457;
D12/400; D8/354, 382; D10/11; D11/79,
D11/129, 125, 128, 126, 127, 124, 121, 122,
D11/123; D30/133; D6/462, 403; D20/41,
D20/42, 10; D25/100, 106; 362/343, 362,
362/246, 260, 256, 223, 125, 565, 647, 350,
362/102; D26/96, 95, 91, 92, 93, 28, 26,
D26/27, 144, 131, 94, 126, 24, 25, 140, 141,
D26/142, 143, 71, 72, 73, 74, 75, 76, 77,
D26/78, 79, 81, 113, 118, 119, 120, 121,
D26/122, 39, 138, 135, 139, 145, 155, 154,
D26/63, 64, 65, 66, 67, 68, 84, 85, 83, 82,
D26/1, 2, 3, 86, 88, 132, 133, 134, 60, 61,
D26/62, 123, 124, 125

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D259,962 S * 7/1981 Sassmannshausen D26/37
D322,862 S * 12/1991 Miller D26/63
D343,917 S * 2/1994 Yuen D26/50
D383,558 S * 9/1997 Parker D26/44
D446,592 S * 8/2001 Leen D26/63
6,976,766 B2 * 12/2005 Galli 362/206
D518,583 S * 4/2006 Vickers et al. D26/37
D525,734 S * 7/2006 Shiao D26/39

D527,476 S * 8/2006 Craft D26/37
D529,210 S * 9/2006 Mundhra D26/37
D536,115 S * 1/2007 Shiu D26/39
D544,621 S * 6/2007 Kim D26/37
D552,775 S * 10/2007 Shiu D26/39
D553,277 S * 10/2007 Ho et al. D26/39
D560,294 S * 1/2008 Parsons et al. D26/37
D566,871 S * 4/2008 Kumthampinij et al. D26/60
D585,516 S * 1/2009 Smith D22/108
D596,771 S * 7/2009 Lee D26/46
D605,319 S * 12/2009 Devaney et al. D26/39
D611,629 S * 3/2010 Sharrah et al. D26/39
D612,970 S * 3/2010 Sharrah et al. D26/60
D617,022 S * 6/2010 Kung D26/37
D635,703 S * 4/2011 Kim D26/49
D648,056 S * 11/2011 Muehlhaeusler et al. D26/63
8,066,396 B2 * 11/2011 Hunt 362/105
2003/0007355 A1 * 1/2003 Leen 362/287
2007/0277422 A1 * 12/2007 Ding 42/146
2008/0148619 A1 * 6/2008 Rogers et al. 42/90

* cited by examiner

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Howson & Howson LLP

(57) **CLAIM**

The ornamental design for a light head for rail-mounted light,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front, left, and top sides of
a light head for rail-mounted light showing our new design;
FIG. 2 is a perspective view of the right, front, and top sides
thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;


FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a top plan view thereof.

The right side elevational view is a mirror image of the left
side elevational view. The flexible sheath and battery housing
shown in broken lines in FIG. 1 illustrate unclaimed environ-
mental structures and form no part of the claimed design.

1 Claim, 1 Drawing Sheet










Fig. 3

Fig. 4

Fig. 5




Fig. 6