



US00D659917S

(12) **United States Design Patent**
Jeon et al.

(10) **Patent No.:** **US D659,917 S**
(45) **Date of Patent:** **** May 15, 2012**

(54) **DRY CLEANING MACHINE**

(75) Inventors: **Ho Il Jeon**, Gyeonggi-do (KR); **Ye Ji Um**, Seoul (KR); **Jung Hwan Lee**, Seoul (KR); **Hui Jae Kwon**, Seoul (KR)

(73) Assignee: **LG Electronics Inc.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/367,610**

(22) Filed: **Aug. 10, 2010**

(30) **Foreign Application Priority Data**

Feb. 10, 2010 (KR) 30-2010-0005976

(51) **LOC (9) Cl.** **15-05**

(52) **U.S. Cl.** **D32/10**

(58) **Field of Classification Search** D32/1,
D32/5-6, 8, 10; 34/58, 108, 130-131, 523,
34/595-597, 603; 68/3 R, 4, 5 R, 12.01,
68/12.08, 212

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,741,113 A * 4/1956 Norkus 68/205 R
D191,951 S * 12/1961 Beduhn D32/10
3,049,903 A * 8/1962 Sussman 68/5 C
3,102,796 A * 9/1963 Erickson 34/75
D197,085 S * 12/1963 Bequette D32/8
3,739,496 A * 6/1973 Buckley et al. 34/210
4,180,919 A * 1/1980 Baltes 34/449
4,682,424 A * 7/1987 Irving 34/621
5,152,077 A * 10/1992 Liang 34/77
D332,329 S * 1/1993 Hood et al. D32/8
5,305,484 A * 4/1994 Fitzpatrick et al. 8/149.3
5,555,640 A * 9/1996 Ou 34/202
5,755,040 A * 5/1998 Ou 34/202
5,815,961 A * 10/1998 Estes et al. 38/14

6,018,885 A * 2/2000 Hill 34/202
6,427,365 B2 * 8/2002 MacGregor et al. 38/1 A
D476,782 S * 7/2003 Huddleston D32/6
6,718,650 B2 * 4/2004 Ross 34/90
D532,563 S * 11/2006 Kim et al. D32/6
7,367,137 B2 * 5/2008 Jonsson et al. 34/265
D638,592 S * 5/2011 Suh D32/8
D640,430 S * 6/2011 Jee D32/6
D643,165 S * 8/2011 Song et al. D32/8
2004/0134087 A1 * 7/2004 Meyer 34/90
2007/0266740 A9 * 11/2007 Kendall et al. 68/3 R
2008/0136295 A1 * 6/2008 Borda et al. 312/31

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Kathleen M Sims

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a dry cleaning machine, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a dry cleaning machine showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view thereof showing the state that during operation, the inside light has been lit and thus the user can check the status of dry cleaning through the window of the front door.

The broken lines depict a portion of the interior of the dry cleaning machine forming no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

