

US00D659990S

(12) United States Design Patent

Miyasaka

(10) Patent No.:

US D659,990 S

(45) Date of Patent:

** May 22, 2012

(54) PANTYHOSE AND TIGHTS

	(76)	Inventor	Eri Miyasaka, New York, NY (COLT
Į	. 70)	mventor:	Eri Miyasaka, New York, NY	USI

(**) Term: 14 Years

(21) Appl. No.: 29/404,583

(22) Filed: Oct. 21, 2011

(58) Field of Classification Search D2/980–994, D2/712–713, 747; 2/239–242, 407–409 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D173,927	S	*	2/1055	Anthony et al D2/712				
,				•				
D211,313	S	*	6/1968	Berry D2/713				
D243,641	S	*	3/1977	Alvarez D2/713				
4,021,861	A	*	5/1977	Imboden et al 2/409				
D341,470	S	*	11/1993	Quick D2/713				
5,280,652	\mathbf{A}	*		Davis et al 2/409				
D352,599	S	*	11/1994	Mackie D2/980				
D380,073	S	*	6/1997	Ruszczycki et al D2/713				
5,713,081	A	*	2/1998	Pappas et al 2/409				
D395,538	S	*	6/1998	Imboden et al				
5,991,929	A	*	11/1999	Imboden et al 2/409				
((C 4' 1)								

(Continued)

Primary Examiner — T. Chase Nelson
Assistant Examiner — Kathleen M Sims

(74) Attorney, Agent, or Firm — Jennifer Meredith, Esq.; Meredith & Keyhani, PLLC

(57) CLAIM


The ornamental design for pantyhose and tights, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view according to the present invention shown unworn and laying flat;


- FIG. 2 is a perspective view according to the present invention shown unworn and slightly opened for the purposes of fully depicting the present invention;
- FIG. 3 is a front view according to the present invention shown unworn, the slightly opened portions not visible from this view;
- FIG. 4 is a rear view according to the present invention shown unworn, the slightly opened portions not visible from this view;
- FIG. 5 is a right side view according to the present invention shown unworn and slightly opened for the purposes of fully depicting the present invention;
- FIG. 6 is a left side view according to the present invention shown unworn and slightly opened for the purposes of fully depicting the present invention;
- FIG. 7 is a top view according to the present invention shown unworn and slightly opened for the purposes of fully depicting the present invention;
- FIG. 8 is a bottom view according to the present invention shown unworn and slightly opened for the purposes of fully depicting the present invention;
- FIG. 9 is a rear view according to the present invention shown as worn, the broken lines forming no part of the claimed design;
- FIG. 10 is a front view according to the present invention shown as worn, the broken lines forming no part of the claimed design;
- FIG. 11 is a top view according to the present invention shown as worn;
- FIG. 12 is a bottom view according to the present invention shown as worn;
- FIG. 13 is a right side view according the present invention shown as worn, the left side view is not shown but would be the mirror image of this view; and,
- FIG. 14 is a close up of the circle in FIG. 11 depicting a portion of the inside of the topband portion.
- The broken lines in FIGS. 9-10 depict environmental subject matter only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D659,990 S Page 2

U.S. PATEN	IT DOCUMENTS	,		Blumenfeld	
6,546,564 B1 * 4/200 6,704,942 B2 * 3/200	0 Imboden et al	D645,243 S *	9/2011	ZarabiMiyasakaYork	D2/985
	6 Oya et al	* cited by examiner			











FIG. 2











May 22, 2012





FIG. 11

FIG. 12






FIG. 14