

US00D660105S

(12) **United States Design Patent**
Brummitt

(10) **Patent No.:** **US D660,105 S**

(45) **Date of Patent:** **** May 22, 2012**

(54) **DISPENSER FOR CARTRIDGE**

Primary Examiner — Antoine D Davis

(76) Inventor: **Richard Brummitt**, Basingstoke (GB)

(74) *Attorney, Agent, or Firm* — Patterson Thunte Christensen Pedersen, P.A.

(**) Term: **14 Years**

(21) Appl. No.: **29/394,891**

(57) **CLAIM**

I claim the ornamental design for dispenser for cartridge, as shown.

(22) Filed: **Jun. 22, 2011**

(30) **Foreign Application Priority Data**

DESCRIPTION

Dec. 23, 2010 (EM) 001252670-0006
Dec. 23, 2010 (EM) 001252670-0007

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/14.1**

(58) **Field of Classification Search** D8/14.1;
222/92, 105, 145.1, 160, 324-327, 386, 391,
222/525, 566-569, 572, 575, 333, 390; 74/141.5
See application file for complete search history.

FIG. 1 is a front perspective view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 2 is a rear perspective view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 3 is a side view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 4 is a top view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 5 is a bottom view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 6 is a front view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 7 is a rear view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 8 is a front perspective view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 9 is a rear perspective view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 10 is a side view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 11 is a top view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 12 is a bottom view of a dispenser for cartridge according to an embodiment of the invention.

FIG. 13 is a front view of a dispenser for cartridge according to an embodiment of the invention; and,

FIG. 14 is a rear view of a dispenser for cartridge according to an embodiment of the invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,692,706 A 10/1954 Carl
3,254,806 A 6/1966 Niels
3,768,472 A 10/1973 Hodosh et al.
3,980,209 A 9/1976 Collar
4,174,068 A 11/1979 Rudolph
4,264,021 A 4/1981 Davis, Jr.
4,273,269 A 6/1981 Davis, Jr.

(Continued)

FOREIGN PATENT DOCUMENTS

DE 1784336 8/1971


(Continued)

OTHER PUBLICATIONS

European Extended Search Report for European Application No. 10196812.1 dated Jul. 11, 2011.

(Continued)

1 Claim, 10 Drawing Sheets



US D660,105 S

Page 2

U.S. PATENT DOCUMENTS

4,376,498	A	3/1983	Davis, Jr.	
4,472,141	A	9/1984	Dragan et al.	
5,558,277	A	9/1996	Owen et al.	
5,860,739	A	1/1999	Cannon et al.	
D411,421	S *	6/1999	Mayeur	D8/14.1
6,116,902	A	9/2000	Schoedel et al.	
D583,639	S *	12/2008	Axinte et al.	D8/14.1
2002/0092871	A1	7/2002	Rickard	

FOREIGN PATENT DOCUMENTS

DE	3031939	8/1980
DE	9000957	4/1990
DE	9011965	10/1990
DE	102005038621	3/2007
EP	0276665	8/1988
EP	0406113	6/1990
EP	0443611	2/1991
EP	0525562	7/1992
EP	0551998	1/1993
FR	984352	7/1951
GB	1589381	7/1977
WO	WO2006/106215	10/2006

OTHER PUBLICATIONS

European Extended Search Report of European Application No. 10196810.5 dated Jul. 19, 2011.

European Extended Search Report of European Application No. 10196813.9 dated Jun. 28, 2011.

European Extended Search Report of European Application No. 10196816.2 dated Jun. 22, 2011.

International Search Report of International Application No. PCT/FR2006/000710 dated Jul. 13, 2006.

European Search Report for European Application No. EP91102643 dated Oct. 3, 1991.

European Search Report for European Application No. EP90401861 dated Mar. 13, 1991.

Application and File History of U.S. Appl. No. 29/394,883 filed Jun. 22, 2011, inventor Brummitt.

Application and File History of U.S. Appl. No. 29/394,887 filed Jun. 22, 2011, inventor Brummitt.

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12



Figure 13




Figure 14