

US00D660135S

(12) **United States Design Patent**  
**Goulden et al.**

(10) **Patent No.:** **US D660,135 S**  
(45) **Date of Patent:** **\*\* May 22, 2012**

(54) **RACK MOUNT NETWORKING DEVICE WITH CABLE MANAGEMENT FEATURES**

(75) Inventors: **Jason E. Goulden**, Los Gatos, CA (US);  
**David A. Pearson**, Sunnyvale, CA (US)

(73) Assignee: **Cisco Technology, Inc.**, San Jose, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/369,283**

(22) Filed: **Sep. 5, 2010**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/356,  
D8/354, 367, 349, 330, 383; 439/501; 70/421,  
70/371, 369, 208; 24/598.2, 601.5, 581.1,  
24/582.12; 160/123; 385/87; 248/73  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

750,033	A	1/1904	Horlacher	
D51,960	S *	4/1918	Hastings	D13/152
D52,629	S	11/1918	Bissell	
D180,065	S	4/1957	Cantwell	
3,286,963	A	11/1966	Roger	
3,890,459	A *	6/1975	Caveney	174/101
D237,845	S	12/1975	Saji	
D240,486	S	7/1976	Raffler et al.	
3,989,210	A	11/1976	Berkman et al.	
D257,663	S *	12/1980	McKee	D8/354
D329,194	S	9/1992	Gillooly	
D355,583	S	2/1995	Beauchane	
D357,400	S	4/1995	Sachs	
D360,353	S	7/1995	Schriever	
5,835,652	A	11/1998	Yagi et al.	
5,871,370	A	2/1999	Kameyama et al.	
D407,963	S *	4/1999	Gretz et al.	D8/356
D414,399	S *	9/1999	Nakamura	D8/356
D418,393	S	1/2000	Proctor	
D458,533	S	6/2002	Sonju	
D459,194	S *	6/2002	Johansson et al.	D8/356
D473,782	S	4/2003	Wu	
D538,136	S	3/2007	Barden	

D592,939	S	5/2009	Kelleghan	
D608,181	S *	1/2010	Koizumi	D8/354
D618,985	S	7/2010	Sjoqvist	
D625,985	S	10/2010	Mori et al.	
D632,547	S *	2/2011	Thompson	D8/356
D639,146	S *	6/2011	Hoek	D8/356
D645,335	S *	9/2011	Herman	D8/363
D653,100	S *	1/2012	Chen	D8/356
D654,052	S *	2/2012	Lee et al.	D14/205
D654,347	S *	2/2012	Chen	D8/349

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/369,284, filed Sep. 5, 2010, entitled "Networking Module With a Cable Management Feature," Inventors: Jason E. Goulden et al.

Panduit, "Products Overview: Products for your demanding requirements," retrieved and printed Sep. 5, 2010, 1 page; <http://www.panduit.com/Products/ProductOverviews/index.htm>.

Belkin, "Belkin: Cable Management," retrieved and printed Sep. 5, 2010, 3 pages; [http://catalog.belkin.com/TWCatSectionView.process?Section\\_Id=43](http://catalog.belkin.com/TWCatSectionView.process?Section_Id=43).

Panduit, Parts Drawing, retrieved and printed Sep. 5, 2010, 1 page; <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/101890.pdf>.

USPTO Mar. 8, 2011 Notice of Allowance for U.S. Appl. No. 29/369,284.

Panduit, "Products Overview: Rack Systems—NetRack Cable Management System," 1 page; [retrieved and printed on Dec. 13, 2010] [http://panduit.com/Products/ProductOverviews/ProductSearch/index.htm?lastNodeID=ss\\_prod\\_cabinetsrackscables&N=5000001+1162&Nu=P\\_RollupKey](http://panduit.com/Products/ProductOverviews/ProductSearch/index.htm?lastNodeID=ss_prod_cabinetsrackscables&N=5000001+1162&Nu=P_RollupKey).



Panduit, "Parts Drawing; Center Door 8' for Netframe and Netrack," [Retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawings/099107.pdf>.

Panduit, "Parts Drawing: Slack Spool Spacer 8" for Netrack," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/101891.PDF>.

Panduit, "Installation instructions: Modular NetFrame Rack and Accessories: CM281G," 4 pages; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/Installationinstruction/072700.pdf>.

Panduit, "Parts Drawing: NetRack 24," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/099448.pdf>.

Panduit, "Parts Drawings: Netrack 2x84 Hinged Door Assembly," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/099022.pdf>.



Panduit, "Parts Drawing: End Panel—Netframe or Netrack," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/077804.pdf>.

Panduit, "Parts Drawing: Part Drawing: Bend Radius Fingers," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/101889.pdf>.

Panduit, "Press Releases: NETRACK Rack System Optimized for Use in Raised Floor," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/AboutUs/MediaRoom/PressReleases/102120>.

Panduit, "Parts Drawing: Bend Radius Fingers Kit," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/101888.pdf>.

Panduit, "Parts Drawing: Center Hinge Door 12" for Netframe and Netrack," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/102134.pdf>.

Panduit, "Parts Drawing: NetRack 7' Heavy Duty 19," 1 page; [retrieved and printed on Dec. 15, 2010] <http://www.panduit.com/groups/MPM-BR/documents/PartDrawing/098696.pdf>.

\* cited by examiner

*Primary Examiner* — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Patent Capital Group

(57) **CLAIM**

The ornamental design for a rack mount networking device with cable management features, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a rack mount networking device with cable management features;

FIG. 2 is a top perspective view of a handle of the rack mount networking device of FIG. 1 shown enlarged and separated from the other identical handle for ease of illustration, where both latches on the handle are shown in a closed position of use;

FIG. 3 is a front of FIG. 2;

FIG. 4 is a back view of FIG. 2;

FIG. 5 is a side view of FIG. 2;

FIG. 6 is another side view of FIG. 2;

FIG. 7 is a top view of FIG. 2;

FIG. 8 is a bottom view of FIG. 2;

FIG. 9 is a top perspective view of the rack mount networking device with cable management features where the upper latch on each handle is shown in an open position of use;

FIG. 10 is a top perspective of a handle of the rack mount networking device of FIG. 9 shown enlarged and separated from the other identical handle for ease of illustration, where one latch on the handle is shown in an open position of use;

FIG. 11 is a front view of FIG. 10;

FIG. 12 is a back view of FIG. 10;

FIG. 13 is a side view of FIG. 10;

FIG. 14 is another side view of FIG. 10;

FIG. 15 is a top view of FIG. 10;

FIG. 16 is a bottom view FIG. 10;

FIG. 17 is a top perspective view of the rack mount networking device with cable management features where the lower latch on each handle is shown in an open position of use;

FIG. 18 is a top perspective view of a handle of the rack mount networking device of FIG. 17 shown enlarged and separated from the other identical handle for ease of illustration, where the lower latch on the handle is shown in an open position of use;

FIG. 19 is a front FIG. 18;

FIG. 20 is a back view FIG. 18;

FIG. 21 is a side view of FIG. 18;

FIG. 22 is another side view of FIG. 18;

FIG. 23 is a top view FIG. 18;

FIG. 24 is a bottom view of FIG. 18;

FIG. 25 is a top perspective view of the rack mount networking device with cable management features where the upper and lower latches on each handle are shown in an open position of use;

FIG. 26 is a top perspective view of a handle of the rack mount networking device of FIG. 25 shown enlarged and separated from the other identical handle for ease of illustration, where the upper and lower latches on the handle are shown in an open position of use;

FIG. 27 is a front view of FIG. 26;

FIG. 28 is a back view of FIG. 26;

FIG. 29 is a side view FIG. 26;

FIG. 30 is another side view of FIG. 26;

FIG. 31 is a top view of FIG. 26; and,

FIG. 32 is a bottom of FIG. 26.

The broken lines shown on the invention illustrate a boundary of the claim and, further, the broken lines representing a structure upon which the invention is mounted are shown for illustrative purposes only. The broken lines form no part of the claimed design.

**1 Claim, 24 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16






FIG. 18






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29






FIG. 30




FIG. 31




FIG. 32