



US00D660139S

(12) **United States Design Patent**  
**Gaudron et al.**

(10) **Patent No.:** **US D660,139 S**  
(45) **Date of Patent:** **\*\* May 22, 2012**

(54) **ANCHOR**

(75) Inventors: **Paul Gaudron**, Stratford, CT (US);  
**Jacob Olsen**, Roselle, IL (US)

(73) Assignee: **Powers Products III, LLC**, Brewster,  
NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/375,778**

(22) Filed: **Sep. 27, 2010**

(51) **LOC (9) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/385**

(58) **Field of Classification Search** ..... D8/385,  
D8/386; 411/15, 80.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D106,861	S	*	11/1937	Dellinger	.....	D8/385
3,431,813	A		3/1969	Johnson		
3,461,772	A	*	8/1969	Barry	.....	411/80.1
3,482,482	A	*	12/1969	Sage	.....	411/80.1
4,022,100	A		5/1977	Johnson		
4,322,194	A		3/1982	Einhorn		
4,500,238	A		2/1985	Vassiliou		
4,662,808	A		5/1987	Camilleri		
4,669,936	A		6/1987	Camilleri		
4,752,170	A	*	6/1988	McSherry et al.	.....	411/80.1
4,871,289	A		10/1989	Choiniere		
5,161,296	A	*	11/1992	Garfield et al.	.....	29/524.1
5,224,805	A		7/1993	Moretti et al.		
5,791,845	A		8/1998	Fulop		

D462,895	S	*	9/2002	Gaudron	.....	D8/385
6,494,653	B2	*	12/2002	Remmers	.....	411/344
6,991,413	B2	*	1/2006	Ballou et al.	.....	411/15
7,001,124	B2		2/2006	Panasik et al.		
D577,285	S	*	9/2008	Gaudron	.....	D8/385
2002/0150442	A1	*	10/2002	Remmers	.....	411/340

\* cited by examiner

*Primary Examiner* — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

We claim, the ornamental design for an anchor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the anchor in a closed condition;

FIG. 2 is a side view of the anchor in a closed condition, the opposite side being identical thereto;

FIG. 3 is a front view of the anchor in a closed condition, the opposite side being identical thereto;

FIG. 4 is a top view of the anchor in a closed condition;

FIG. 5 is a bottom view of the anchor in a closed condition;

FIG. 6 is a top perspective view of the anchor in an open condition;

FIG. 7 is a bottom perspective view of the anchor in an open condition;


FIG. 8 is a side view of the anchor in an open condition, the opposite side being a mirror image thereof;

FIG. 9 is a top view of the anchor in an open condition;

FIG. 10 is a bottom view of the anchor in an open condition; and,

FIG. 11 is a side view of the anchor in an open condition, the opposite side being a mirror image thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4







FIG. 5




**FIG. 6**




**FIG. 7**




**FIG. 8**



**FIG. 9**



**FIG. 10**



**FIG. 11**