

US00D660295S

(12) **United States Design Patent**  
**Mak**

(10) **Patent No.:** **US D660,295 S**

(45) **Date of Patent:** **\*\* \*May 22, 2012**

(54) **HOUSING FOR A READING DEVICE**

(75) Inventor: **Stephine Pui See Mak**, Tai Po (HK)

(73) Assignee: **VTech Electronics Ltd.**, Tai Po N.T. (HK)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/348,809**

(22) Filed: **Feb. 10, 2010**

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/346; D14/345**

(58) **Field of Classification Search** ..... D14/341, D14/342, 343, 344, 345, 346, 347, 126, 129, D14/130, 203.1, 203.3, 203.4, 203.7, 137, D14/138 R, 138 AA, 138 AB, 138 AC, 138 AD, D14/138 C, 138 G; 345/901; 361/679.55, 361/679.56, 679.3; 455/556.1, 556.2; 379/908, 379/433.04

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D333,318 S *	2/1993	York	.....	D19/26
D359,306 S *	6/1995	Lande et al.	.....	D14/345
D443,614 S *	6/2001	Do et al.	.....	D14/345
D449,606 S *	10/2001	Lee et al.	.....	D14/345
D451,507 S *	12/2001	Lin	.....	D14/345
D494,968 S *	8/2004	Yonekawa et al.	.....	D14/345
D601,559 S *	10/2009	Green et al.	.....	D14/346
D602,491 S *	10/2009	Jiang et al.	.....	D14/346
D608,358 S *	1/2010	Ong	.....	D14/345
D614,183 S *	4/2010	Mason	.....	D14/345
D615,973 S *	5/2010	Sip et al.	.....	D14/346
2009/0219682 A1 *	9/2009	Chien et al.	.....	361/679.55

**FOREIGN PATENT DOCUMENTS**

CN 3421476 \* 1/2005

**OTHER PUBLICATIONS**

Best E-readers.com, V-tech FLiP eReader, Jul. 12, 2010, <http://www.best-ereaders.com/2010/07/12/ereaders-for-kids-early-start-for-reading/>, viewed on Oct. 5, 2010.\*

\* cited by examiner

*Primary Examiner* — Angela J Lee

(74) *Attorney, Agent, or Firm* — McAndrews, Held & Malloy, Ltd.

(57) **CLAIM**

The ornamental design for a housing for a reading device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the housing for a reading device, with the pivotable in place over the top of the device, showing my new design, including the transparent or translucent cover.

FIG. 2 is a top plan view thereof.

FIG. 3 is a bottom plan view thereof.

FIG. 4 is a front elevation thereof.

FIG. 5 is a rear elevation thereof.

FIG. 6 is a right side elevation thereof.

FIG. 7 is a left side elevation thereof.

FIG. 8 is a top perspective view of the housing for a reading device, with the pivotable transparent or translucent cover in place over the bottom of the device.

FIG. 9 is a top plan view thereof.

FIG. 10 is a front elevation thereof.

FIG. 11 is a rear elevation thereof.

FIG. 12 is a left side elevation thereof.

FIG. 13 is a right side elevation thereof.


FIG. 14 is a top perspective view of the housing for a reading device, with the pivotable transparent or translucent cover at an oblique angle to the main housing portion of the device; and,

FIG. 15 is bottom view of the housing for a reading device, with the pivotable transparent or translucent cover in place over the bottom of the device.

The arcuate array of round elements and crescent shaped element show in broken lines on the bottom of the device form no part of the presently claimed design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 11 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15