



US00D660466S

(12) **United States Design Patent**
Parker et al.

(10) **Patent No.:** **US D660,466 S**
(45) **Date of Patent:** **** May 22, 2012**

(54) **LIGHT CONDUCTIVE LIGHT EMITTER FOR
LIGHT EMITTING DIODE LIGHT SOURCE**

(75) Inventors: **Jeffery R. Parker**, Richfield, OH (US);
Timothy M. Parker, Naples, FL (US)

(73) Assignee: **Rambus International Ltd.** (KY)

(**) Term: **14 Years**

(21) Appl. No.: **29/382,949**

(22) Filed: **Jan. 10, 2011**

(51) **LOC (9) Cl.** **26-04**

(52) **U.S. Cl.** **D26/2**

(58) **Field of Classification Search** D26/1-4;
313/313, 315, 316, 317, 318, 493; 315/52,
315/53, 56, 57, 58

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D541,957 S * 5/2007 Wang D26/2
D553,265 S * 10/2007 Maxik D26/2

D570,504 S * 6/2008 Maxik et al. D26/2
D571,489 S * 6/2008 Opolka D26/2

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle &
Sklar, LLP

(57) **CLAIM**

The ornamental design for a light conductive light emitter for
a light emitting diode light source, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light conductive light emitter
for a light emitting diode light source showing our new
design.


FIG. 2 is a front view thereof, the back being a mirror image.
FIG. 3 is a side view of one side thereof, the opposite side
being a mirror image.

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.

The broken lines forming curvilinear shapes in FIGS. 4 and 5
represent internal boundaries of the claimed design while all
other broken lines are directed to environment and are for
illustrative purposes only; the broken lines form no part of the
claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5