



US00D660684S

(12) **United States Design Patent**
Golling

(10) **Patent No.:** **US D660,684 S**

(45) **Date of Patent:** **** May 29, 2012**

(54) **BICYCLE LOCK**

(75) Inventor: **Guido Golling**, Rottach-Egern (DE)

(73) Assignee: **ABUS August Bremicker Soehne KG**,
Wetter-Volmarstein (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,598**

(22) Filed: **Feb. 17, 2012**

Related U.S. Application Data

(62) Division of application No. 29/394,356, filed on Jun.
16, 2011.

(51) **LOC (9) Cl.** **08-07**

(52) **U.S. Cl.** **D8/339; D8/331; D8/324**

(58) **Field of Classification Search** D8/330,
D8/331, 334, 343, 324, 349; 70/14, 20, 31,
70/35, 57, 57.1, 58, 233, 237-258, DIG. 37,
70/DIG. 26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,892,964 A	1/1933	Rainey	
3,747,376 A *	7/1973	White, Jr.	70/18
D274,977 S	8/1984	Devine	
5,018,374 A *	5/1991	Montano	70/233
5,069,049 A	12/1991	Shieh	
5,076,531 A	12/1991	Delaney	
5,347,835 A	9/1994	Dewey	
5,406,811 A *	4/1995	Nakai	70/26
5,433,092 A	7/1995	Kuo	
5,475,993 A *	12/1995	Kuo	70/18
5,487,285 A *	1/1996	Leichel et al.	70/18
5,488,844 A	2/1996	Winner	
5,511,399 A	4/1996	Lynn	
D369,536 S *	5/1996	Myers	D8/331
D402,180 S	12/1998	Chappell	

5,913,906 A	6/1999	Strocchi
D439,133 S	3/2001	Hoyland
D477,525 S	7/2003	Ling
D498,132 S	11/2004	Lai
6,820,448 B1	11/2004	Hsieh
D511,673 S	11/2005	Lai
D579,756 S	11/2008	Hentschel et al.
7,581,787 B2	9/2009	Livne
D606,840 S	12/2009	Gould
7,624,605 B2	12/2009	Vitali

FOREIGN PATENT DOCUMENTS

DE	102005040066 A1	3/2007
EM	000396452-0001	10/2005
EM	000396452-0002	10/2005
EM	000396452-0003	10/2005

OTHER PUBLICATIONS

“Specialized—Bicycles & Equipment Spring 2003”.
“Abus Gesamtkatalog 2010” pp. 1, 2, 16-19, 173.

* cited by examiner

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Gifford, Krass, Sprinkle,
Anderson & Citkowski, P.C.


(57) **CLAIM**

The ornamental design for a bicycle lock, as shown and
described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a bicycle lock
showing my new design;
FIG. 2 is a top, rear, left perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






Fig-1




Fig-2



Fig-3




Fig-4




Fig-5




Fig-6




Fig-7