

US00D660689S

(12) **United States Design Patent**
Kawaguchi

(10) **Patent No.:** **US D660,689 S**

(45) **Date of Patent:** **** May 29, 2012**

(54) **CORD LOCK**

(75) Inventor: **Gaku Kawaguchi**, Yokohama (JP)

(73) Assignee: **NIFCO Inc.**, Kanagawa (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/371,308**

(22) Filed: **Dec. 28, 2010**

(30) **Foreign Application Priority Data**

Jun. 29, 2010 (JP) 2010-015853

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Classification Search** D8/383,
D8/356, 394-396; 24/115 G, 112, 115 R,
24/136 R, 115 M; D2/978; D11/212, 215
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D455,337 S *	4/2002	Maruoka	D8/383
D543,838 S *	6/2007	Yoshiguchi	D8/373
D551,067 S *	9/2007	Kawamura	D8/383
D560,477 S *	1/2008	Yoshie et al.	D8/383
D560,478 S *	1/2008	Yoshie et al.	D8/383

D560,479 S *	1/2008	Yoshie et al.	D8/383
D615,391 S *	5/2010	Kawaguchi	D8/383
D630,090 S *	1/2011	Ishii et al.	D8/383
D633,378 S *	3/2011	Chan	D8/383

* cited by examiner

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a cord lock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cord lock showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a right side view thereof, a left side view being symmetrical to the right side view;

FIG. 7 is shown separated for ease of illustration. The broken line showing of the cord lock is included for illustrating portions of the article and form no part of the claimed design; and,

FIG. 8 is a perspective view of the cord lock, where in the cord lock is released.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

