



US00D660752S

(12) **United States Design Patent**
Futschik et al.

(10) **Patent No.:** **US D660,752 S**
(45) **Date of Patent:** **** May 29, 2012**

- (54) **SIDE MIRROR FOR A VEHICLE**
- (75) Inventors: **Hans-Dieter Futschik**, Stuttgart (DE); **Steffen Koehl**, Stuttgart (DE); **Hubert Lee**, Stuttgart (DE); **Gorden Wagener**, Stuttgart (DE)
- (73) Assignee: **Daimler AG**, Stuttgart (DE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/383,603**
- (22) Filed: **Jan. 20, 2011**

Related U.S. Application Data

- (62) Division of application No. 29/309,775, filed on Oct. 7, 2008, now Pat. No. Des. 633,422.

(30) **Foreign Application Priority Data**

Apr. 8, 2008 (DE) 4020080011752

- (51) **LOC (9) Cl.** **12-16**
- (52) **U.S. Cl.** **D12/187**
- (58) **Field of Classification Search** D12/187, D12/188, 189; D6/300, 309; 359/838, 841-844, 359/868, 871, 604, 881, 514, 866; 248/475.1, 248/479-483
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D543,918 S	6/2007	Pfeiffer	
D551,143 S *	9/2007	Leclercq	D12/187
D574,761 S *	8/2008	Futschik et al.	D12/187
D587,638 S *	3/2009	Futschik et al.	D12/187
D587,639 S *	3/2009	Futschik et al.	D12/187
7,600,877 B2	10/2009	Behbehani	
D603,774 S	11/2009	Chen	

D612,310 S *	3/2010	Guntrum	D12/187
D616,344 S *	5/2010	Bauer et al.	D12/187
D616,345 S	5/2010	Bauer et al.	
D620,408 S *	7/2010	Elliott et al.	D12/187
D621,313 S *	8/2010	Kimura et al.	D12/187
D633,422 S *	3/2011	Futschik et al.	D12/187
D653,595 S *	2/2012	Matsubara et al.	D12/187
2002/0048100 A1	4/2002	Hoek	
2002/0141085 A1	10/2002	Whitehead et al.	
2004/0218272 A1	11/2004	Boddy	
2005/0174645 A1	8/2005	Boddy	

* cited by examiner

Primary Examiner — Caron D Veynar

Assistant Examiner — Katrina Betton

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP



(57) **CLAIM**

The ornamental design for a side mirror for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a first embodiment of a side mirror for a vehicle according to our novel design; FIG. 2 is a front perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a side view thereof; FIG. 6 is a top view thereof; and FIG. 7 is a side view thereof. FIG. 8 is a rear perspective view of a second embodiment of the side mirror for a vehicle according to our novel design; FIG. 9 is a front perspective view thereof; FIG. 10 is a front view thereof; FIG. 11 is a rear view thereof; FIG. 12 is a side view thereof; FIG. 13 is a top view thereof; and, FIG. 14 is a side view thereof.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14