

US00D661336S

(12) United States Design Patent Raile

(10) Patent No.: US (45) Date of Patent: **

US D661,336 S

Jun. 5, 2012

(54)	EYEGLA	SSES	D479,552 S	9/2003	Emanuele
(51)	LILGER		D481,050 S	10/2003	Carr et al.
(75)	Larrantam	Dames Daile Daule City, LIT (LIC)	D481,060 S	10/2003	Egbert et al.
(75)	inventor:	Bruce Raile, Park City, UT (US)	6,655,800 B2		Takeda et al.
			6,705,723 B1	3/2004	Lavie
(73)	Assignee:	Sun Optics, Inc., Salt Lake City, UT	6,742,891 B2	6/2004	
		(US)	6,786,596 B1	9/2004	Ayoub
			D505,866 S	6/2005	·
(**)	Torm	14 Voore	D506,396 S	6/2005	Raile
()	Term:	14 Years	D506,681 S	6/2005	Raile
			D506,682 S	6/2005	Raile
(21)	Appl. No.:	29/341,138	D509,382 S	9/2005	Raile
			D510,530 S	10/2005	Raile
(22)	Filed:	Jul. 31, 2009	7,063,420 B2	6/2006	Lerner
,			D525,426 S	7/2006	Raile
	$\mathbf{p}_{\mathbf{o}}$	lated U.S. Application Data	D525,427 S	7/2006	Raile
	IXC.	iateu C.S. Application Data	D525,787 S	8/2006	
(63)	Continuati	on-in-part of application No. 29/249,568,	D525,788 S	8/2006	
(02)		ct. 12, 2006, now abandoned, which is a	D527,179 S	8/2006	
			D527,180 S	8/2006	
	continuation	on-in-part of application No. 29/207,865,	D530,541 S	10/2006	
	filed on Jui	n. 17, 2004, now Pat. No. Des. 533,579, and	D530,940 S	10/2006	
	a continua	tion-in-part of application No. 29/246,911,	D533,579 S	12/2006	
		lay 19, 2006, now Pat. No. Des. 587,739,	D533,736 S	12/2006	
			D534,016 S	12/2006	
		a continuation-in-part of application No.	D536,261 S	2/2007	
	29/207,865, filed on Jun. 17, 2004, now Pat. No. Des.		D536,905 S D537,862 S *	2/2007	Mouclier D16/315
	533,579.		D537,862 S D538,067 S	3/2007	
(51)	LOC (9) (Cl 16-06	D538,555 S	3/2007	
	` /		7,188,739 B1	3/2007	
(52)) U.S. Cl. D16/316 ; D16/101		D540,844 S		Nakanishi
(58)	3) Field of Classification Search		D554,903 S	11/2007	
		D16/300–342; D29/109–110; D24/110.2;	D555,703 S	11/2007	
		351/41, 44, 51–52, 62, 158, 92, 103–123,	D560,360 S	1/2008	Raile
	351/140, 153, 45–46; 2/426–432, 447–449,		D562,591 S	2/2008	Raile
			D566,423 S	4/2008	Raile
		/441, 434–437, 13, 15; D21/483, 659–661	D567,840 S	4/2008	Miklitarian
	See applica	ation file for complete search history.	D567,841 S *	4/2008	Miklitarian
			7,357,501 B2	4/2008	Lerner
(56)		References Cited	D568,922 S *	5/2008	Anderl D16/326
			D571,556 S	6/2008	Raile
	U.	S. PATENT DOCUMENTS	D572,476 S	7/2008	Raile
,			D577,193 S	9/2008	Raile
	2,354,772 A	$oldsymbol{arepsilon}$	D581,445 S	11/2008	Nakanishi
	5,929,967 A		D587,739 S	3/2009	Raile
	D423,555 S D425,541 S		D590,005 S	4/2009	Fuchs
	6,099,119 A		D593,145 S	5/2009	Fuchs
	D436,613 S		D598,483 S	8/2009	Lane
	6,199,981 B		D601,181 S	9/2009	
	D444,805 S	7/2001 Chao 7/2001 Tiberghien	*		Gelifier D16/315
	D464,982 S		D611,086 S		Meng-Suen
	D475,732 S	6/2003 Conner	•		Yoshikawa et al D16/326
,	,				



D629,830 S	12/2010	Markovitz
D631,084 S		Phillips
D633,551 S *		Zoonens
D634,349 S	3/2011	Fuchs
D634,773 S	3/2011	Fuchs
D635,178 S	3/2011	Fuchs
2002/0080325 A1	6/2002	Xiang
2003/0025871 A1	2/2003	Masunaga
2003/0071962 A1		Nishihara
2003/0133071 A1	7/2003	Ahn
2004/0223114 A1	11/2004	Park

OTHER PUBLICATIONS

- U.S. Appl. No. 29/246,908, filed May 19, 2006, Raile. U.S. Appl. No. 29/249,568, filed Oct. 12, 2006, Raile. U.S. Appl. No. 11/627,882, filed Jan. 26, 2007, Raile. U.S. Appl. No. 29/279,329, filed Apr. 26, 2007, Raile. U.S. Appl. No. 11/838,174, filed Aug. 13, 2007, Raile. U.S. Appl. No. 29/283,411, filed Aug. 13, 2007, Raile. U.S. Appl. No. 29/297,463, filed Nov. 12, 2007, Raile. U.S. Appl. No. 29/303,907, filed Feb. 20, 2008, Raile. U.S. Appl. No. 29/341,154, filed Jul. 31, 2009, Raile. U.S. Appl. No. 29/341,140, filed Jul. 31, 2009, Raile. U.S. Appl. No. 29/341,141, filed Jul. 31, 2009, Raile. U.S. Appl. No. 29/341,144, filed Jul. 31, 2009, Raile. U.S. Appl. No. 29/341,146, filed Jul. 31, 2009, Raile. U.S. Appl. No. 29/341,148, filed Jul. 31, 2009, Raile. U.S. Appl. No. 29/341,152, filed Jul. 31, 2009, Raile. Bloomingdale's catalog, p. 29, Mar. 10, 2003. Sunglass Hut, p. 11, 2001.
- America Online Computer Eyewear, circa Apr. 2002, 1 page.

 I. Line Precision Reading Eyewear, circa Apr. 2002, 1 page.

 Insight Pocket Size Readers, circa Aug. 2002, 1 page.

 Transparent Eyeglass Case, Insight Eyeworks, circa 2002, 1 page.

 U.S. Appl. No. 29/246,911, mailed Jan. 30, 2008, Office Action.

 U.S. Appl. No. 29/246,911, mailed Jul. 1, 2008, Office Action.

 U.S. Appl. No. 29/246,911, mailed Nov. 6, 2008, Notice of Allow-
- U.S. Appl. No. 29/207,865, mailed Mar. 6, 2006, Notice of Allowance.
- U.S. Appl. No. 29/249,568, mailed Aug. 11, 2008, Office Action. U.S. Appl. No. 29/249,568, mailed May 12, 2009, Office Action.
- U.S. Appl. No. 29/249,368, mailed May 12, 2009, Office Action. U.S. Appl. No. 29/341,140, mailed Sep. 29, 2010, Office Action.
- U.S. Appl. No. 29/341,140, mailed Aug. 19, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,141, mailed Sep. 29, 2010, Office Action. U.S. Appl. No. 29/341,141, mailed Aug. 15, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,144, mailed Aug. 30, 2011, Office Action.
- U.S. Appl. No. 29/341,146, mailed Aug. 29, 2011, Office Action.
- U.S. Appl. No. 29/341,148, mailed Aug. 29, 2011, Office Action.
- U.S. Appl. No. 29/341,152, mailed Aug. 30, 2011, Office Action.
- U.S. Appl. No. 29/341,154, mailed Aug. 30, 2011, Office Action.
- U.S. Appl. No. 29/341,140, mailed Nov. 23, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,141, mailed Nov. 22, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,144, mailed Dec. 6, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,146, mailed Dec. 5, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,148, mailed Dec. 5, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,152, mailed Dec. 7, 2011, Notice of Allowance.
- U.S. Appl. No. 29/341,154, mailed Dec. 6, 2011, Notice of Allowance.
- * cited by examiner

ance.

Primary Examiner — Raphael Barkai

(74) Attorney, Agent, or Firm — Workman Nydegger

(57) CLAIM

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

- FIG. 1 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 2 is a front elevational view of the eyeglasses as shown in FIG. 1;
- FIG. 3 is a back elevational view of the eyeglasses as shown in FIG. 1;
- FIG. 4 is a right side elevational view of the eyeglasses as shown in FIG. 1, with the left side elevational view being a mirror image thereof;
- FIG. 5 is a top plan view of the eyeglasses shown in FIG. 1; and
- FIG. 6 is a bottom plan view of the eyeglasses as shown in FIG. 1.
- FIG. 7 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 8 is a front elevational view of the eyeglasses as shown in FIG. 7;
- FIG. 9 is a back elevational view of the eyeglasses as shown in FIG. 7;
- FIG. 10 is a right side elevational view of the eyeglasses as shown in FIG. 7, with the left side elevational view being a mirror image thereof;
- FIG. 11 is a top plan view of the eyeglasses shown in FIG. 7; and
- FIG. 12 is a bottom plan view of the eyeglasses as shown in FIG. 7.
- FIG. 13 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 14 is a front elevational view of the eyeglasses as shown in FIG. 13;
- FIG. 15 is a back elevational view of the eyeglasses as shown in FIG. 13;
- FIG. 16 is a right side elevational view of the eyeglasses as shown in FIG. 13, with the left side elevational view being a mirror image thereof;
- FIG. 17 is a top plan view of the eyeglasses shown in FIG. 13; and
- FIG. 18 is a bottom plan view of the eyeglasses as shown in FIG. 13.
- FIG. 19 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 20 is a front elevational view of the eyeglasses as shown in FIG. 19;
- FIG. 21 is a back elevational view of the eyeglasses as shown in FIG. 19;
- FIG. 22 is a right side elevational view of the eyeglasses as shown in FIG. 19, with the left side elevational view being a mirror image thereof;
- FIG. 23 is a top plan view of the eyeglasses shown in FIG. 19; FIG. 24 is a bottom plan view of the eyeglasses as shown in FIG. 19.
- FIG. 25 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 26 is a front elevational view of the eyeglasses as shown in FIG. 25;
- FIG. 27 is a back elevational view of the eyeglasses as shown in FIG. 25;

US D661,336 S

Page 3

FIG. 28 is a right side elevational view of the eyeglasses as shown in FIG. 25;

FIG. 29 is a top plan view of the eyeglasses shown in FIG. 25; and,

FIG. 30 is a bottom plan view of the eyeglasses as shown in FIG. 25.


The depicted contrast in shading represents a contrast in appearance via color, namely, blue, green, red or pink, and yellow or gold and brown.


yellow or gold and brown.


The broken lines are for illustrative purposes only and form no part of the claimed design.


1 Claim, 20 Drawing Sheets







































































UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : D661,336 S

APPLICATION NO. : 29/341138

DATED : June 5, 2012

INVENTOR(S) : Bruce Raile

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page 2, Right-hand Column, In the Description:

Lines 28-30, change "FIG. 10 is a right side elevational view of the eyeglasses as shown in FIG. 7, with the left side elevational view being a mirror image thereof;" to - -FIG. 10 is a top plan view of the eyeglasses shown in FIG. 7;- -

Line 31, change "FIG. 11 is a top plan view of the eyeglasses shown in FIG. 7;" to --FIG. 11 is a right side elevational view of the eyeglasses as shown in FIG. 7, with the left side elevational view being a mirror image thereof;--

Lines 41-43, change "FIG. 16 is a right side elevational view of the eyeglasses as shown in FIG. 13, with the left side elevational view being a mirror image thereof;" to - -FIG. 16 is a top plan view of the eyeglasses shown in FIG. 13;- -

Lines 54-56, change "FIG. 22 is a right side elevational view of the eyeglasses as shown in FIG. 19, with the left side elevational view being a mirror image thereof;" to - -FIG. 22 is a top plan view of the eyeglasses shown in FIG. 19;- -

Title Page 3, Left-hand Column, In the Description:

Lines 1-2, change "FIG. 28 is a right side elevational view of the eyeglasses as shown in FIG. 25;" to - -FIG. 28 is a top plan view of the eyeglasses shown in FIG. 25;- -

Line 3, change "FIG. 29 is a top plan view of the eyeglasses shown in FIG. 25;" to - -FIG. 29 is a right side elevational view of the eyeglasses as shown in FIG. 25, with the left side elevational view being a mirror image thereof;- -

Signed and Sealed this Tenth Day of September, 2013

Teresa Stanek Rea

Acting Director of the United States Patent and Trademark Office