



US00D661338S

(12) **United States Design Patent**
Raile

(10) **Patent No.:** **US D661,338 S**
(45) **Date of Patent:** **** Jun. 5, 2012**

- (54) **EYEGLASSES**
- (75) **Inventor:** **Bruce Raile**, Park City, UT (US)
- (73) **Assignee:** **Sun Optics, Inc.**, Salt Lake City, UT (US)
- (**) **Term:** **14 Years**
- (21) **Appl. No.:** **29/341,152**
- (22) **Filed:** **Jul. 31, 2009**

6,655,800	B2	12/2003	Takeda et al.
6,705,723	B1	3/2004	Lavie
6,742,891	B2	6/2004	Chen
6,786,596	B1	9/2004	Ayoub
D505,866	S	6/2005	Raile
D506,396	S	6/2005	Raile
D506,681	S	6/2005	Raile
D506,682	S	6/2005	Raile
D509,382	S	9/2005	Raile
D510,530	S	10/2005	Raile
7,063,420	B2	6/2006	Lerner
D525,426	S	7/2006	Raile
D525,427	S	7/2006	Raile
D525,787	S	8/2006	Raile
D525,788	S	8/2006	Raile
D527,179	S	8/2006	Raile
D527,180	S	8/2006	Raile
D530,541	S	10/2006	Raile
D530,940	S	10/2006	Raile
D533,579	S	12/2006	Raile
D533,736	S	12/2006	Raile
D534,016	S	12/2006	Raile
D536,261	S	2/2007	Raile
D536,905	S	2/2007	Raile
D537,862	S	3/2007	Mouclier
D538,067	S	3/2007	Raile
D538,555	S	3/2007	Raile
7,188,739	B1	3/2007	Raile
D540,844	S	4/2007	Nakanishi
D554,903	S	11/2007	Raile
D555,703	S	11/2007	Damen
D560,360	S	1/2008	Raile
D562,591	S	2/2008	Raile
D566,423	S	4/2008	Raile
D567,840	S	4/2008	Miklitarian
D567,841	S	4/2008	Miklitarian
7,357,501	B2	4/2008	Lerner
D568,922	S	5/2008	Anderl
D571,556	S	6/2008	Raile
D572,476	S	7/2008	Raile
D577,193	S	9/2008	Raile
D581,445	S	* 11/2008	Nakanishi D16/315
D587,739	S	3/2009	Raile
D590,005	S	* 4/2009	Fuchs D16/316
D598,483	S	8/2009	Lane
D604,755	S	11/2009	Gelifier
D611,086	S	3/2010	Meng-Suen
D624,954	S	10/2010	Yoshikawa
D631,084	S	1/2011	Phillips
D633,551	S	3/2011	Zoonens
D634,349	S	3/2011	Fuchs
D634,773	S	3/2011	Fuchs
2002/0080325	A1	6/2002	Xiang


Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/249,568, filed on Oct. 12, 2006, now abandoned, which is a continuation-in-part of application No. 29/207,865, filed on Jun. 17, 2004, now Pat. No. Des. 533,579, and a continuation-in-part of application No. 29/246,911, filed on May 19, 2006, now Pat. No. Des. 587,739, which is a continuation-in-part of application No. 29/207,865.
- (51) **LOC (9) Cl.** **16-06**
- (52) **U.S. Cl.** **D16/316; D16/101**
- (58) **Field of Classification Search** **D16/101, D16/300-342; D29/109-110; D24/110.2; 351/41, 44, 51-52, 62, 158, 92, 103-123, 351/140, 153, 45-46; 2/426-432, 447-449, 2/441, 434-437, 13, 15; D21/483, 659-661**
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

2,354,772	A	8/1944	Prange
5,929,967	A	7/1999	Conner
D423,555	S	4/2000	Conner
6,099,119	A	8/2000	Kim
D436,613	S	* 1/2001	Chao D16/315
6,199,981	B1	3/2001	Chao
D444,805	S	7/2001	Tiberghien
D464,982	S	10/2002	Thixton et al.
D475,732	S	6/2003	Conner
D479,552	S	9/2003	Emanuele
D481,050	S	10/2003	Carr et al.
D481,060	S	10/2003	Egbert et al.



2003/0025871	A1	2/2003	Masunaga
2003/0071962	A1	4/2003	Nishihara
2003/0133071	A1	7/2003	Ahn
2004/0223114	A1	11/2004	Park
2007/0119803	A1	5/2007	Raile

OTHER PUBLICATIONS

U.S. Appl. No. 29/246,908, filed May 19, 2006, Raile.
 U.S. Appl. No. 29/249,568, filed Oct. 12, 2006, Raile.
 U.S. Appl. No. 11/627,882, filed Jan. 26, 2007, Raile.
 U.S. Appl. No. 29/279,329, filed Apr. 26, 2007, Raile.
 U.S. Appl. No. 11/838,174, filed Aug. 13, 2007, Raile.
 U.S. Appl. No. 29/283,411, filed Aug. 13, 2007, Raile.
 U.S. Appl. No. 29/297,463, filed Nov. 12, 2007, Raile.
 U.S. Appl. No. 29/303,907, filed Feb. 20, 2008, Raile.
 U.S. Appl. No. 29/341,154, filed Jul. 31, 2009, Raile.
 U.S. Appl. No. 29/341,138, filed Jul. 31, 2009, Raile.
 U.S. Appl. No. 29/341,140, filed Jul. 31, 2009, Raile.
 U.S. Appl. No. 29/341,141, filed Jul. 31, 2009, Raile.
 U.S. Appl. No. 29/341,144, filed Jul. 31, 2009, Raile.
 U.S. Appl. No. 29/341,146, filed Jul. 31, 2009, Raile.
 U.S. Appl. No. 29/341,148, filed Jul. 31, 2009, Raile.
 Bloomingdale's catalog, p. 29, Mar. 10, 2003.
 Sunglass Hut, p. 11, 2001.
 America Online Computer Eyewear, circa Apr. 2002, 1 page.
 I. Line Precision Reading Eyewear, circa Apr. 2002, 1 page.
 Insight Pocket Size Readers, circa Aug. 2002, 1 page.
 Transparent Eyeglass Case, Insight Eyeworks, circa 2002, 1 page.
 U.S. Appl. No. 29/246,911, mailed Jan. 30, 2008, Office Action.
 U.S. Appl. No. 29/246,911, mailed Jul. 1, 2008, Office Action.
 U.S. Appl. No. 29/246,911, mailed Nov. 6, 2008, Notice of Allowance.
 U.S. Appl. No. 29/207,865, mailed Mar. 6, 2006, Notice of Allowance.
 U.S. Appl. No. 29/249,568, mailed Aug. 11, 2008 Office Action.
 U.S. Appl. No. 29/249,568, mailed May 12, 2009, Office Action.
 U.S. Appl. No. 29/341,140, mailed Sep. 29, 2010, Office Action.
 U.S. Appl. No. 29/341,140, mailed Aug. 19, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,141, mailed Sep. 29, 2010, Office Action.
 U.S. Appl. No. 29/341,141, mailed Aug. 15, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,138, mailed Aug. 29, 2011, Office Action.
 U.S. Appl. No. 29/341,144, mailed Aug. 30, 2011, Office Action.
 U.S. Appl. No. 29/341,146, mailed Aug. 29, 2011, Office Action.
 U.S. Appl. No. 29/341,148, mailed Aug. 29, 2011, Office Action.
 U.S. Appl. No. 29/341,154, mailed Aug. 30, 2011, Office Action.
 U.S. Appl. No. 29/341,138, mailed Dec. 5, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,140, mailed Nov. 23, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,141, mailed Nov. 22, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,144, mailed Dec. 6, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,146, mailed Dec. 5, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,148, mailed Dec. 5, 2011, Notice of Allowance.
 U.S. Appl. No. 29/341,154, mailed Dec. 6, 2011, Notice of Allowance.

* cited by examiner

Primary Examiner — Raphael Barkai
 (74) *Attorney, Agent, or Firm* — Workman Nydegger

(57) **CLAIM**

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention;

FIG. 2 is a front elevational view of the eyeglasses as shown in FIG. 1;

FIG. 3 is a back elevational view of the eyeglasses as shown in FIG. 1;

FIG. 4 is a right side elevational view of the eyeglasses as shown in FIG. 1, with the left side elevational view being a mirror image thereof;

FIG. 5 is a top plan view of the eyeglasses shown in FIG. 1; and,

FIG. 6 is a bottom plan view of the eyeglasses as shown in FIG. 1.

FIG. 7 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 8 is a front elevational view of the eyeglasses as shown in FIG. 7;

FIG. 9 is a back elevational view of the eyeglasses as shown in FIG. 7;

FIG. 10 is a right side elevational view of the eyeglasses as shown in FIG. 7, with the left side elevational view being a mirror image thereof;

FIG. 11 is a top plan view of the eyeglasses shown in FIG. 7; and

FIG. 12 is a bottom plan view of the eyeglasses as shown in FIG. 7.

FIG. 13 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 14 is a front elevational view of the eyeglasses as shown in FIG. 13;

FIG. 15 is a back elevational view of the eyeglasses as shown in FIG. 13;

FIG. 16 is a right side elevational view of the eyeglasses as shown in FIG. 13, with the left side elevational view being a mirror image thereof;

FIG. 17 is a top plan view of the eyeglasses shown in FIG. 13; and

FIG. 18 is a bottom plan view of the eyeglasses as shown in FIG. 13.

FIG. 19 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 20 is a front elevational view of the eyeglasses as shown in FIG. 19;

FIG. 21 is a back elevational view of the eyeglasses as shown in FIG. 19;

FIG. 22 is a right side elevational view of the eyeglasses as shown in FIG. 19, with the left side elevational view being a mirror image thereof;

FIG. 23 is a top plan view of the eyeglasses shown in FIG. 19; FIG. 24 is a bottom plan view of the eyeglasses as shown in FIG. 19.

FIG. 25 is a top perspective view of the eyeglasses in accordance with a preferred embodiment of the present invention; FIG. 26 is a front elevational view of the eyeglasses as shown in FIG. 25;

FIG. 27 is a back elevational view of the eyeglasses as shown in FIG. 25;

FIG. 28 is a right side elevational view of the eyeglasses as shown in FIG. 25;

FIG. 29 is a top plan view of the eyeglasses shown in FIGS. 25; and,

FIG. 30 is a bottom plan view of the eyeglasses as shown in FIG. 25.

The depicted contrast in shading represents a contrast in appearance via color, namely, blue, green, red or pink, and yellow or gold and brown.

The broken lines are for illustrative purposes only and form no part of the claimed design.



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

Fig. 6






Fig. 7




Fig. 8




Fig. 9




Fig. 11




Fig. 10

Fig. 12






Fig. 13




Fig. 14




Fig. 15




Fig. 17




Fig. 16

Fig. 18






Fig. 19




Fig. 20




Fig. 21




Fig. 23




Fig. 22

Fig. 24






Fig. 25




Fig. 26




Fig. 27




Fig. 29





Fig. 28

Fig. 30



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D661,338 S
APPLICATION NO. : 29/341152
DATED : June 5, 2012
INVENTOR(S) : Bruce Raile

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page 2, Right-hand Column

Lines 18-20, change "FIG. 10 is a right side elevational view of the eyeglasses as shown in FIG. 7, with the left side elevational view being a mirror image thereof;" to -- FIG. 10 is a top plan view of the eyeglasses shown in FIG. 7; --

Line 21, change "FIG. 11 is a top plan view of the eyeglasses shown in FIG. 7;" to -- FIG. 11 is a right side elevational view of the eyeglasses as shown in FIG. 7, with the left side elevational view being a mirror image thereof; --

Lines 31-33, change "FIG. 16 is a right side elevational view of the eyeglasses as shown in FIG. 13, with the left side elevational view being a mirror image thereof;" to -- FIG. 16 is a top plan view of the eyeglasses shown in FIG. 13; --

Line 34, change "FIG. 17 is a top plan view of the eyeglasses shown in FIG. 13;" to -- FIG. 17 is a right side elevational view of the eyeglasses as shown in FIG. 13, with the left side elevational view being a mirror image thereof; --

Lines 44-46, change "FIG. 22 is a right side elevational view of the eyeglasses as shown in FIG. 19, with the left side elevational view being a mirror image thereof;" to -- FIG. 22 is a top plan view of the eyeglasses shown in FIG. 19; --

Line 47, change "FIG. 23 is a top plan view of the eyeglasses shown in FIG. 19;" to -- FIG. 23 is a right side elevational view of the eyeglasses as shown in FIG. 19, with the left side elevational view being a mirror image thereof; and --

Lines 56-57, change "FIG. 28 is a right side elevational view of the eyeglasses as shown in FIG. 25;" to -- FIG. 28 is a top plan view of the eyeglasses shown in FIG. 25; --

Signed and Sealed this
Twenty-fourth Day of September, 2013



Teresa Stanek Rea
Deputy Director of the United States Patent and Trademark Office

Title Page 2, Right-hand Column

Lines 58-59, change "FIG. 29 is a top plan view of the eyeglasses shown in FIGS. 25; and," to -- FIG. 29 is a right side elevational view of the eyeglasses as shown in FIG. 25, with the left side elevational view being a mirror image thereof; and, --