



US00D661541S

(12) **United States Design Patent**
Braden

(10) **Patent No.:** **US D661,541 S**
(45) **Date of Patent:** **** Jun. 12, 2012**

(54) **APPARATUS FOR BAKING FOOD PRODUCTS**
(75) Inventor: **Laurie Braden**, Deerfield Beach, FL (US)
(73) Assignee: **Global Concepts Limited, Inc.**, Deerfield Beach, FL (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/403,901**

(22) Filed: **Oct. 12, 2011**
(51) **LOC (9) Cl.** **07-02**
(52) **U.S. Cl.** **D7/359; D7/354; D7/357**
(58) **Field of Classification Search** D7/323, D7/329-332, 337, 339, 346-347, 350.1-350.4, D7/354-363, 391, 393, 395, 402, 408-409, D7/505, 538, 542, 549, 587, 667, 675, 701; D9/715, 758; D15/90; 99/324-325, 331-332, 99/337-340, 396, 400-418, 425, 439, 444-446, 99/450; 119/161, 166; 126/9 R, 25 A, 25 R, 126/41 R, 166, 275 R, 332, 380.1, 390.1; 206/501-505, 507-508, 778; 219/400, 405, 219/435-442, 620-624, 725, 730-735; 220/485, 220/491, 573.1-573.5, 759, 912; 249/119, 249/122; 426/438, 441, 523
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
1,476,910 A * 12/1923 Naugle 249/122
1,505,816 A * 8/1924 Steele 249/119
D249,269 S * 9/1978 Pitts D15/90
4,352,427 A * 10/1982 Lake 206/778
D292,802 S * 11/1987 Fails D15/90
D327,841 S * 7/1992 Letourneau D9/758
5,191,830 A 3/1993 Jacobson
D346,528 S * 5/1994 Crawford et al. D7/357
D368,414 S * 4/1996 VanHalteren et al. D7/675
D424,863 S * 5/2000 Varakian D7/354
6,450,341 B1 9/2002 Krupa et al.
6,793,193 B2 9/2004 de Groote
D497,077 S * 10/2004 de Groote D7/357

D504,286 S * 4/2005 de Cleir D7/675
6,973,872 B2 * 12/2005 Morgan 99/439
7,282,532 B2 10/2007 Akbar et al.
7,517,933 B2 4/2009 Holmes et al.
7,850,035 B2 12/2010 Lion et al.
7,861,886 B2 1/2011 Lion et al.
D651,038 S * 12/2011 Henry D7/357
2004/0249059 A1 12/2004 Akbar et al.
2006/0266757 A1 11/2006 Camacho et al.
2008/0060530 A1 3/2008 Tetreault et al.
2008/0216670 A1 9/2008 Schuler
2008/0314259 A1 12/2008 Broom
2011/0068110 A1 3/2011 Weld et al.

* cited by examiner
Primary Examiner — Ricky Pham
(74) *Attorney, Agent, or Firm* — DLA Piper LLP (US)

(57) **CLAIM**
The ornamental design for an apparatus for baking food products, as shown and described.

DESCRIPTION
FIG. 1 shows a top view of a first piece of a baking apparatus according to a first exemplary embodiment of the invention; FIG. 2 shows a bottom view of the first piece of a baking apparatus according to FIG. 1; FIG. 3 shows a bottom perspective view of a first piece of a baking apparatus as viewed at from an angle according to FIG. 1; FIG. 4 shows a front view of the first piece of a baking apparatus according to FIG. 1; FIG. 5 shows a left side view of the first piece of a baking apparatus according to FIG. 1; FIG. 6 shows a top view of a second piece of a baking apparatus according to a first exemplary embodiment of the invention; FIG. 7 shows a bottom view of the second piece of a baking apparatus according to FIG. 6; FIG. 8 shows a bottom perspective view of the second piece of a baking apparatus as viewed at from an angle according to FIG. 6; FIG. 9 shows a front view of the second piece of a baking apparatus according to FIG. 6;





FIG. 10 shows a left side view of the second piece of a baking apparatus according to FIG. 6;

FIG. 11 shows a top view of the first piece of a baking apparatus according to a second exemplary embodiment of the invention;

FIG. 12 shows a bottom view of the first piece of a baking apparatus according to FIG. 11;

FIG. 13 shows a bottom perspective view of the first piece of a baking apparatus as viewed at from an angle according to FIG. 11;

FIG. 14 shows a front side view of the first piece of a baking apparatus according to FIG. 11;

FIG. 15 shows a left side view of the first piece of a baking apparatus according to FIG. 11;

FIG. 16 shows a top view of the second piece of a baking apparatus according to a second exemplary embodiment of the invention;

FIG. 17 shows a bottom view of the second piece of a baking apparatus according to FIG. 16.

FIG. 18 shows a bottom perspective view of the second piece of a baking apparatus as viewed at from an angle according to FIG. 16;

FIG. 19 shows a front view of the second piece of a baking apparatus according to FIG. 16;

FIG. 20 shows a left side view of the second piece of a baking apparatus according to FIG. 16;

FIG. 21 shows the first piece and the second piece of a baking apparatus attached together as viewed at from an angle according to the first exemplary embodiment of the invention;

FIG. 22 shows the first piece and the second piece of a baking apparatus attached together as viewed from a front view according to FIG. 21;

FIG. 23 shows the first piece and a second piece of a baking apparatus attached together as viewed from a left side according to FIG. 21;

FIG. 24 shows the first piece and the second piece of a baking apparatus attached together as viewed from an angle according to the second exemplary embodiment of the invention;

FIG. 25 shows the first piece and the second piece of a baking apparatus attached together as viewed from a front view according to FIG. 24; and,

FIG. 26 shows the first piece and the second piece of a baking apparatus attached together as viewed from left side according to FIG. 24.

1 Claim, 26 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26